

UNIFLEX UNIFLEX

It is our shelving system UNIFLEX
which uniquely represents the
SCHULZ SPEYER success story.

Continuous refinement over
decades have turned this system into
the most modern library furnishing
system on the market.
Numerous arrangements possibilities
leave ample room for
individual library design.

This mature concept takes all of our
customer's wishes into consideration.
Compact shelving, shelf-cabinet units,
add-on units and multi-level systems
- all these functions and many others
blend perfectly with design elements
such as enclosures, side trim panels,
shelf lighting or lettering systems.



UNIFLEX shelves with different furnishings



Wooden end panels



Glass end panels



Acrylic glass end panels



Micro-perforated end panel



Double perforated steel end panel




Flush perforated steel end panel


End panels

End panels


Perforation samples for doubled or flush panels



Slots
4/40



Square holes
QG 10/62,5



Round holes
RG 5/25



Wooden enclosure

Creating a library's unique image requires individual solutions. Our end panels provide the image that you wish to present.

Elegant wood, cool glass, modest perforated sheet metal – UNIFLEX offers the framework for the right image for your library.

CD and paperback holder and hangers



Perforated metal side trim panels provide additional uses by way of various functional elements.

Special sound-absorbing surfaces can be implemented to positively influence room acoustics.



Wooden doors



Wooden frame doors with glass



Grid door

Door types

Door types


Different types of doors can be used to close complete rows of shelves or to define individual sections. Turn your shelf unit into a cabinet or a display case – retrofitting of existing units is also possible.

Adding a finish cover to your low shelf turns it into a practical standing workplace.



Low shelf H 1100 mm with wooden cover board

Glass door set (left) and single-sided shelf with glass doors, divided for upper and lower cabinet units (right).





UNIFLEX shelf 2250 mm high, increased to 3325 mm with hanging ladder

To help you optimize the use of floorspace, our UNIFLEX system offers the option of increasing the overall shelf-unit-height.

By building up from the basic frame unit with add-on frames, UNIFLEX provides needed additional shelf surface. Existing shelves can easily be retrofitted if required.

Various types of ladders are available for different heights.



Mobile shelf ladder



Safety step for shelves up to 2575 mm



Continuous magazine flaps

Accessories

Accessories



Load distributor for UNIFLEX shelf

Frames with special load distributors are available for sensitive or low bearing floors.

Shelf for atlases with wooden side panels



Shelf on wheels with front accessories

Slanted display shelf



Front display shelf





Continuous light assembly with lamp holder

Round light
System 65



Rectangular light
System 60

UNIFLEX offers numerous shelf lighting systems to let light have the effect that is needed, where it is needed; allowing at the same time the desired flexibility in the arrangement of shelves.

Lighting ranges from high-performance halogen spots to vertical lighting solutions to continuous lighting assemblies. For concealed cable management special UNIFLEX frame units are offered.

Shelf lighting

Shelf lighting

Shelf connector for continuous light assembly



Oval light
System 190



Halogen shelf light

Please contact us for detailed lighting plans to ensure optimal lighting for your UNIFLEX shelving.



Rectangular light
System 60

Round light
System 65



Front halogen light



Vertical lights

UNIFLEX
UNIFLEX

Clip-on shelf labels



End bay guides



End and canopy bay guides

For further possibilities of equipment
for the shelving system UNIFLEX
please see from page 69.

With UNIFLEX you set the corner-
stone for the use of an extensive
and future-oriented range of
accessories.

As a company that specializes in
the furnishing of library spaces -
SCHULZ SPEYER
is responsible for the competent
planning and exclusive furnishing
of library facilities in various fields
of operation - regardless of the
size or scope of the project,
or it's location.

Accessories Accessories

Two tier
display shelf



Three tier
display shelf



Periodical box for magazines



AV media tray



Multimedia tray and
pull-out multimedia
tray



Please ask our specialists to
assist - or call for a consultation
appointment. Of course without
obligation and at no cost to you.

Together we will achieve what
really counts for us:

Lasting Values.



Single-sided Bays

Single-sided starter bay UNIFLEX-S with frame traverse, without shelves.

Lacquered metal, D 280 mm for shelf depth 250 mm = M

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
H 1100 mm	Item no.	B 1100 GWM UN	B 1100 GUM UN	B 1100 GSM UN	B 1100 GRM UN
H 1500 mm	Item no.	B 1100 CWM UN	B 1100 CUM UN	B 1100 CSM UN	B 1100 CRM UN
H 2050 mm	Item no.	B 1100 DWM UN	B 1100 DUM UN	B 1100 DSM UN	B 1100 DRM UN
H 2250 mm	Item no.	B 1100 EWM UN	B 1100 EUM UN	B 1100 ESM UN	B 1100 ERM UN
H 2575 mm	Item no.	B 1100 HWM UN	B 1100 HUM UN	B 1100 HSM UN	B 1100 HRM UN

For shelf depth 300 mm = N (D 330 mm) the M in the item no. is replaced by an N.

For bays with wooden backs, change item no. B 1100 . . . UN to B 1110 . . . UN.



Single-sided add-on bay UNIFLEX-S with frame traverse, without shelves.

Lacquered metal, D 280 mm for shelf depth 250 mm = M

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
H 1100 mm	Item no.	B 1200 GWM UN	B 1200 GUM UN	B 1200 GSM UN	B 1200 GRM UN
H 1500 mm	Item no.	B 1200 CWM UN	B 1200 CUM UN	B 1200 CSM UN	B 1200 CRM UN
H 2050 mm	Item no.	B 1200 DWM UN	B 1200 DUM UN	B 1200 DSM UN	B 1200 DRM UN
H 2250 mm	Item no.	B 1200 EWM UN	B 1200 EUM UN	B 1200 ESM UN	B 1200 ERM UN
H 2575 mm	Item no.	B 1200 HWM UN	B 1200 HUM UN	B 1200 HSM UN	B 1200 HRM UN

For shelf depth 300 mm = N (D 330 mm) the M in the item no. is replaced by an N.

For bays with wooden backs, change item no. B 1200 . . . UN to B 1210 . . . UN.



Double-sided Bays

Double-sided starter bay UNIFLEX-S with frame traverse, without shelves

Lacquered metal, D 530 mm for shelf depth 250 mm = M

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
H 1100 mm	Item no.	B 1300 GWM UN	B 1300 GUM UN	B 1300 GSM UN	B 1300 GRM UN
H 1500 mm	Item no.	B 1300 CWM UN	B 1300 CUM UN	B 1300 CSM UN	B 1300 CRM UN
H 2050 mm	Item no.	B 1300 DWM UN	B 1300 DUM UN	B 1300 DSM UN	B 1300 DRM UN
H 2250 mm	Item no.	B 1300 EWM UN	B 1300 EUM UN	B 1300 ESM UN	B 1300 ERM UN
H 2575 mm	Item no.	B 1300 HWM UN	B 1300 HUM UN	B 1300 HSM UN	B 1300 HRM UN

For shelf depth 300 mm = N (D 630 mm) the M in the item no. is replaced by an N.

For bays with wooden backs, change item no. B 1300 . . . UN to B 1310 . . . UN.



Double-sided add-on bay UNIFLEX-S with frame traverse, without shelves

Lacquered metal, D 530 mm for shelf depth 250 mm = M

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
H 1100 mm	Item no.	B 1400 GWM UN	B 1400 GUM UN	B 1400 GSM UN	B 1400 GRM UN
H 1500 mm	Item no.	B 1400 CWM UN	B 1400 CUM UN	B 1400 CSM UN	B 1400 CRM UN
H 2050 mm	Item no.	B 1400 DWM UN	B 1400 DUM UN	B 1400 DSM UN	B 1400 DRM UN
H 2250 mm	Item no.	B 1400 EWM UN	B 1400 EUM UN	B 1400 ESM UN	B 1400 ERM UN
H 2575 mm	Item no.	B 1400 HWM UN	B 1400 HUM UN	B 1400 HSM UN	B 1400 HRM UN

For shelf depth 300 mm = N (D 630 mm) the M in the item no. is replaced by an N.

For bays with wooden backs, change item no. B 1400 . . . UN to B 1410 . . . UN.



Increased Bay Height

For an optimal use of room space, our UNIFLEX-S system offers the possibility of increasing the height of the bay. We install add-on frames to lengthen the bearing frames.

Existing bays can be easily retrofitted if required. (See overview on page 22)

Easy access for bays of up to 2575 mm total height is gained by our mobile safety steps.

For additional heights, UNIFLEX offers two different ladder systems.

These allow a good reach of bay heights up to a maximum of 3675 mm.

Upper bay UNIFLEX-S

For increasing the height of existing UNIFLEX bays, ready for installation of a ladder system (either a ladder bar for hanging ladder or a ladder guiding rail for rolling bay ladders). Lacquered metal.

Axle size 1000 mm Axle size 900 mm Axle size 750 mm Axle size 500 mm

Single-sided upper starter bay, D 280 mm

H 325 mm, for a total bay height of H 2575 mm, without traverse without rail for ladder

Item no. B 1176 1WM UN B 1176 1UM UN B 1176 1SM UN B 1176 1RM UN

H 725 mm, for total bay height H 2975 mm (see drawing)

Item no. B 1106 2WM UN B 1106 2UM UN B 1106 2SM UN B 1106 2RM UN

H 1075 mm, for total bay height H 3325 mm

Item no. B 1106 3WM UN B 1106 3UM UN B 1106 3SM UN B 1106 3RM UN

H 1425 mm, for total bay height H 3675 mm

Item no. B 1106 4WM UN B 1106 4UM UN B 1106 4SM UN B 1106 4RM UN

Single-sided upper add-on bay, D 280 mm

H 325 mm, for a total bay height of H 2575 mm, without traverse without rail for ladder

Item no. B 1276 1WM UN B 1276 1UM UN B 1276 1SM UN B 1276 1RM UN

H 725 mm, for total bay height H 2975 mm (see drawing)

Item no. B 1206 2WM UN B 1206 2UM UN B 1206 2SM UN B 1206 2RM UN

H 1075 mm, for total bay height H 3325 mm

Item no. B 1206 3WM UN B 1206 3UM UN B 1206 3SM UN B 1206 3RM UN

H 1425 mm, for total bay height H 3675 mm

Item no. B 1206 4WM UN B 1206 4UM UN B 1206 4SM UN B 1206 4RM UN

Double-sided upper starter bay, D 530 mm

H 325 mm, for a total bay height of H 2575 mm, without traverse without rail for ladder

Item no. B 1376 1WM UN B 1376 1UM UN B 1376 1SM UN B 1376 1RM UN

H 725 mm, for total bay height H 2975 mm (see drawing)

Item no. B 1306 2WM UN B 1306 2UM UN B 1306 2SM UN B 1306 2RM UN

H 1075 mm, for total bay height H 3325 mm

Item no. B 1306 3WM UN B 1306 3UM UN B 1306 3SM UN B 1306 3RM UN

H 1425 mm, for total bay height H 3675 mm

Item no. B 1306 4WM UN B 1306 4UM UN B 1306 4SM UN B 1306 4RM UN

Double-sided upper add-on bay, D 530 mm

H 325 mm, for a total bay height of H 2575 mm, without traverse without rail for ladder

Item no. B 1476 1WM UN B 1476 1UM UN B 1476 1SM UN B 1476 1RM UN

H 725 mm, for total bay height H 2975 mm (see drawing)

Item no. B 1406 2WM UN B 1406 2UM UN B 1406 2SM UN B 1406 2RM UN





H 1075 mm, for total bay height H 3325 mm


Item no. B 1406 3WM UN B 1406 3UM UN B 1406 3SM UN B 1406 3RM UN

H 1425 mm, for total bay height H 3675 mm

Item no. B 1406 4WM UN B 1406 4UM UN B 1406 4SM UN B 1406 4RM UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.





Bay heights without labeling shelf, model L3

Accessories for Increased Bay Height

Bay connectors

Function as tilt stop for bays. According to the regulations for safety and health at work of (German) Employer's Liability Insurance Associations, bays with excessive height must be secured against tilting if they are higher than 2650 mm (BGR 234, former ZH 1/428).

Our bay connector connects individual rows of bays and should be screwed to a building wall. U-profile 30x30 mm, lacquered metal, including fastening material.

Item no. 0 1499 Upon request

Bay connectors for fastening of lights

Bay connectors can also be used for hanging continuous light assemblies (see p.19).

Same description as above, but with device for center fastening of lights. U-profile 30x30 mm, lacquered metal, including fastening material.



Item no. 0 2745 Upon request

Mobile safety step

Suitable for bays up to 2575 mm. Mobile through spring-loaded wheels which counter sink when loaded or born, thus giving the safety step a secure stand.

Solid plastic, grey, height 420 mm.

Item no. B 8950 000 XX



Accessories for Increased Bay Heights

Hanging ladder

For extremely high shelves with ladder bar, lacquered aluminum with 9 steps and two pairs of hooks for an optional inclined or upright positioning, W 410 mm, incl. handles.

The ladder bar will be mounted at a height of 2238 mm, upper bar edge. Shelves with a total height of up to max. 3675 mm are still accessible with this ladder. Projection ca. 940 mm

Item no. E Z809 000

Ladder system (bar) for hanging ladder

Diameter 28 mm, lacquered metal. Incl. two bar holders with end caps for fastening at the outer bearing frame, as well as matching bar holders with transit for every intermediate bearing frame.

Item no. E Z801 Upon request

Bay ladder, side movable

For extremely high shelves with guiding rail for ladder, lacquered aluminum with 8 steps. The upper and lower wheel fitting are self-locking when a person stands on the ladder.

Ladder with required guiding, upright positioning when not in use, W 380 mm, incl. handles. The ladder bar will be mounted at 2238 mm height, upper edge bar. Shelves with a total height of up to max. 3675 mm are still accessible with this ladder. Projection ca. 940 mm

Item no. E Z806 000

Guiding rail for mobile ladder

Diameter 28 mm, lacquered metal. Incl. two bar holders with end caps for fastening at the outer bearing frame, as well as matching bar holders with transit for every intermediate bearing frame.

Item no. E Z801 Upon request



Load Distribution

UNIFLEX-S bays with load distribution

For even distribution of the load pressure of the bay spar frames on the floor. With little spot strain for sensitive floor coverings and special floor constructions. Bearing frame with leveling screws on load distributor from rectangular tube 50x30 mm and front-side covers. Including traverse, without shelves. Lacquered metal, H 2250 mm.

	Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
Single-sided starter bay, D 280 mm (see drawing)				
Item no.	B 1103 EWM UN	B 1103 EUM UN	B 1103 ESM UN	B 1103 ERM UN
Single-sided add-on bay, D 280 mm				
Item no.	B 1203 EWM UN	B 1203 EUM UN	B 1203 ESM UN	B 1203 ERM UN
Double-sided starter bay, D 530 mm				
Item no.	B 1303 EWM UN	B 1303 EUM UN	B 1303 ESM UN	B 1303 ERM UN
Double-sided add-on bay, D 530 mm				
Item no.	B 1403 EWM UN	B 1403 EUM UN	B 1403 ESM UN	B 1403 ERM UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

Metal Shelves

Metal top shelf

For insertion into the upper C-profile of the bearing frame; lacquered metal

For shelf depth		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2210 MW0 UN	B 2210 MU0 UN	B 2210 MS0 UN	B 2210 MR0 UN
D 300 mm	Item no.	B 2210 NW0 UN	B 2210 NU0 UN	B 2210 NS0 UN	B 2210 NR0 UN

Metal top shelf with sectional labeling boards, model L3

for insertion into the upper C-profile of the bearing frame; lacquered metal
Transparent plastic labeling, antireflex, H 50 mm,
with exchangeable, humidity resistant labeling strip, white
SchulzLabelingService upon request

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2310 MW0 UN	B 2310 MU0 UN	B 2310 MS0 UN	B 2310 MR0 UN
D 300 mm	Item no.	B 2310 NW0 UN	B 2310 NU0 UN	B 2310 NS0 UN	B 2310 NR0 UN

Metal shelf, including hanging kit

Lacquered metal

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2110 MW0 UN	B 2110 MU0 UN	B 2110 MS0 UN	B 2110 MR0 UN
D 300 mm	Item no.	B 2110 NW0 UN	B 2110 NU0 UN	B 2110 NS0 UN	B 2110 NR0 UN

Metal shelf with book stop, including hanging kit

Can be used as sloping shelf for presenting magazines by turning and slanting the two additional brackets. This 300 mm deep shelf can also be placed in bays with a depth of 250 mm. Lacquered metal

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2111 MW0 UN	B 2111 MU0 UN	B 2111 MS0 UN	B 2111 MR0 UN
D 300 mm	Item no.	B 2111 NW0 UN	B 2111 NU0 UN	B 2111 NS0 UN	B 2111 NR0 UN

Slanting brackets

For sloping shelves with book stop; two required per shelf.
Chromium-plated round bars.

Item no.	B 8010 000 UN	one each
-----------------	---------------	----------

Metal magazine shelf, including hanging kit

With front stop, depth 300 mm.

For bays with a shelf depth of 300 mm: additional slanted brackets, lacquered metal

For shelf depth		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
of 250 mm	Item no.	B 2611 MW0 UN	B 2611 MU0 UN	B 2611 MS0 UN	B 2611 MR0 UN
of 300 mm	Item no.	B 2611 NW0 UN	B 2611 NU0 UN	B 2611 NS0 UN	B 2611 NR0 UN

Metal bottom shelf

for insertion into the lower C-profile of the bearing frame, lacquered metal.

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2510 MW0 UN	B 2510 MU0 UN	B 2510 MS0 UN	B 2510 MR0 UN
D 300 mm	Item no.	B 2510 NW0 UN	B 2510 NU0 UN	B 2510 NS0 UN	B 2510 NR0 UN

Metal bottom shelf with book stop

for insertion into the lower C-profile of the bearing frame, lacquered metal.

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2511 MW0 UN	B 2511 MU0 UN	B 2511 MS0 UN	B 2511 MR0 UN
D 300 mm	Item no.	B 2511 NW0 UN	B 2511 NU0 UN	B 2511 NS0 UN	B 2511 NR0 UN

Metal bottom shelf with kickplate

for insertion into the lower C-profile of the bearing frame, lacquered metal.

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2410 MW0 UN	B 2410 MU0 UN	B 2410 MS0 UN	B 2410 MR0 UN
D 300 mm	Item no.	B 2410 NW0 UN	B 2410 NU0 UN	B 2410 NS0 UN	B 2410 NR0 UN

Metal bottom shelf with book stop and kickplate

for insertion into the lower C-profile of the bearing frame, lacquered metal.

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2411 MW0 UN	B 2411 MU0 UN	B 2411 MS0 UN	B 2411 MR0 UN
D 300 mm	Item no.	B 2411 NW0 UN	B 2411 NU0 UN	B 2411 NS0 UN	B 2411 NR0 UN

Hanging book stop

for insertion in metal shelves, side adjustable,
available in two heights, chromium-plated round bars

		Height 220 mm	Height 280 mm
Shelf depth 250 mm	Item no.	B 8002 M00 XX	B 8002 M28 XX
Shelf depth 300 mm	Item no.	B 8002 N00 XX	B 8002 N28 XX

Metal insert tube

The sloping design provides a better view of the book spines on the lower bay shelves.

A book stop at the back also allows a front presentation of the individual book titles.

Tubes from lacquered metal, including hanging kit for insertion into the lower C-profile of the bearing frame or flexibly into the perforation.

D 165 mm, height of book stops 140

mm

For shelf depth		Axle size 1000 mm	Axle size 900 mm
D 250 mm	Item no.	B 2080 MW0 UN	B 2080 MU0 UN

Pull-out metal shelf

on telescopic full rails for installation below metal shelves of at least 750 mm axle size. Width 600 mm, including installation material and tilt stop, lacquered metal.

Pull-out depth 250 mm, front edge flush with supporting shelf

for supporting shelf D 250 mm	Item no.	B 2000 M00 UN
for supporting shelf D 300 mm	Item no.	B 2000 N00 UN

Pull-out depth 300 mm, front edge overlapping supporting shelf by 50 mm, for easier identification as pull-out shelf.

for supporting shelf D 250 mm	Item no.	B 2001 M00 UN
for supporting shelf D 300 mm	Item no.	B 2001 N00 UN

Cross Base

Cross baseshelf

for insertion into the lower C-profile of the bearing frame, lacquered metal,
for use with metal or wooden bay shelves.
Two cross baseboards are required per starter bay.

For single-sided bays

Item no.	B 8840 M00 UN	one each for shelf depth 250 mm
Item no.	B 8840 N00 UN	one each for shelf depth 300 mm

For double-sided bays

Item no.	B 8841 M00 UN	one each for shelf depth 250 mm
Item no.	B 8841 N00 UN	one each for shelf depth 300 mm

Wooden Shelves

Wooden shelves from high-quality chipboard in E1 quality. For axle sizes over 900 mm and for above-average strain, we recommend the use of wooden shelves from wood core plywood (B 2.8. ... UN) or layer-glued multiplex wood, available as birch or beech multiplex.

Wooden shelves

For insertion in the upper C-profile of the bearing frame, veneered wood / plastic coated

1 2

Axle size 1000 mm Axle size 900 mm Axle size 750 mm Axle size 500 mm

Without guiding rail for book support

D 250 mm	Item no.	B 2270 MW0 UN	B 2270 MU0 UN	B 2270 MS0 UN	B 2270 MR0 UN
D 300 mm	Item no.	B 2270 NW0 UN	B 2270 NU0 UN	B 2270 NS0 UN	B 2270 NR0 UN

With guiding rail for book support (for book support, model BSD 22/28)

D 250 mm	Item no.	B 2272 MW0 UN	B 2272 MU0 UN	B 2272 MS0 UN	B 2272 MR0 UN
D 300 mm	Item no.	B 2272 NW0 UN	B 2272 NU0 UN	B 2272 NS0 UN	B 2272 NR0 UN

Wooden shelves with sectional labeling shelf, model L3

for insertion into the upper C-profile of the bearing frame, veneered wood / plastic coated.

Transparent plastic labeling, antireflex, H 50 mm, with exchangeable, humidity resistant labeling strip, white.

SchulzLabelingService upon request

1 2

Axle size 1000 mm Axle size 900 mm Axle size 750 mm Axle size 500 mm

Without guiding rail for book support

D 250 mm	Item no.	B 2370 MW0 UN	B 2370 MU0 UN	B 2370 MS0 UN	B 2370 MR0 UN
D 300 mm	Item no.	B 2370 NW0 UN	B 2370 NU0 UN	B 2370 NS0 UN	B 2370 NR0 UN

With guiding rail for book support (for book support, model BSD 22/28)

D 250 mm	Item no.	B 2372 MW0 UN	B 2372 MU0 UN	B 2372 MS0 UN	B 2372 MR0 UN
D 300 mm	Item no.	B 2372 NW0 UN	B 2372 NU0 UN	B 2372 NS0 UN	B 2372 NR0 UN

Wooden shelves, including hanging kit

veneered wood / plastic coated

1 2

Axle size 1000 mm Axle size 900 mm Axle size 750 mm Axle size 500 mm

Without guiding rail for book support

D 250 mm	Item no.	B 2170 MW0 UN	B 2170 MU0 UN	B 2170 MS0 UN	B 2170 MR0 UN
D 300 mm	Item no.	B 2170 NW0 UN	B 2170 NU0 UN	B 2170 NS0 UN	B 2170 NR0 UN

With guiding rail for book support (for book support, model BSD 22/28)

D 250 mm	Item no.	B 2172 MW0 UN	B 2172 MU0 UN	B 2172 MS0 UN	B 2172 MR0 UN
D 300 mm	Item no.	B 2172 NW0 UN	B 2172 NU0 UN	B 2172 NS0 UN	B 2172 NR0 UN

Wooden shelves with book stop, including hanging kit

Can be used as sloping shelf for presenting magazines by turning and slanting the two additional braces. This 300mm deep shelf can also be placed in bays with a depth of 250mm. Veneered wood / plastic coated.

1 2



Axle size 1000 mm Axle size 900 mm Axle size 750 mm Axle size 500 mm

Without guiding rail for book support

D 250 mm	Item no.	B 2171 MW0 UN	B 2171 MU0 UN	B 2171 MS0 UN	B 2171 MR0 UN
D 300 mm	Item no.	B 2171 NW0 UN	B 2171 NU0 UN	B 2171 NS0 UN	B 2171 NR0 UN

With guiding rail for book support (for book support, model BSD 22/28)

D 250 mm	Item no.	B 2173 MW0 UN	B 2173 MU0 UN	B 2173 MS0 UN	B 2173 MR0 UN
D 300 mm	Item no.	B 2173 NW0 UN	B 2173 NU0 UN	B 2173 NS0 UN	B 2173 NR0 UN



Sloping brackets

For sloping of shelves with book stop; two each required per shelf.

Chromium-plated round bars.

Item no. B 8010 000 UN one each

Hanging book support BSD 22/28

for insertion in wooden shelves with guiding rail, adjustable, chromium-plated round bars

Item no. B 8003 000 UN Height 220 mm

Item no. B 8003 028 UN Height 280 mm

Wooden magazine shelf, including hanging kit and sloping brackets

with front stop, adjustable slant, depth 300 mm, veneered wood / plastic coated

1 2

Additional brackets for bays with a shelf depth of 300 mm.

For bays depth of 250 mm	Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
Item no.	B 2671 MW0 UN	B 2671 MU0 UN	B 2671 MS0 UN	B 2671 MR0 UN
of 300 mm	Item no.	B 2671 NW0 UN	B 2671 NU0 UN	B 2671 NS0 UN
			B 2671 NR0 UN	B 2671 NR0 UN

Bottom shelf

for insertion in the lower C-profile of the bearing frame, veneered wood / plastic coated

1 2

	Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2570 MW0 UN	B 2570 MU0 UN	B 2570 MS0 UN
D 300 mm	Item no.	B 2570 NW0 UN	B 2570 NU0 UN	B 2570 NS0 UN
			B 2570 NR0 UN	B 2570 NR0 UN

Bottom shelf with book stop

for insertion in the lower C-profile of the bearing frame, veneered wood / plastic coated

1 2

	Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2571 MW0 UN	B 2571 MU0 UN	B 2571 MS0 UN
D 300 mm	Item no.	B 2571 NW0 UN	B 2571 NU0 UN	B 2571 NS0 UN
			B 2571 NR0 UN	B 2571 NR0 UN

Bottom shelf with kickplate

for insertion in the lower C-profile of the bearing frame, veneered wood / plastic coated.

1 2

	Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2470 MW0 UN	B 2470 MU0 UN	B 2470 MS0 UN
D 300 mm	Item no.	B 2470 NW0 UN	B 2470 NU0 UN	B 2470 NS0 UN
			B 2470 NR0 UN	B 2470 NR0 UN

Bottom shelf with book stop and kickplate

for insertion in the lower C-profile of the bearing frame, veneered wood / plastic coated.

1 2

	Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
D 250 mm	Item no.	B 2471 MW0 UN	B 2471 MU0 UN	B 2471 MS0 UN
D 300 mm	Item no.	B 2471 NW0 UN	B 2471 NU0 UN	B 2471 NS0 UN
			B 2471 NR0 UN	B 2471 NR0 UN

Pull-out wooden shelf

on telescopic full rails for installation below wooden shelves of at least 750 mm axle size.

Width 600 mm, including installation material and tilt stop

Veneered wood / plastic coated

1 2

Pull-out depth 250 mm, front edge flush with supporting shelf

For supporting shelves D 250 mm **Item no.** B 2002 M00 UN

For supporting shelves D 300 mm **Item no.** B 2002 N00 UN

Pull-out depth 300 mm, front edge overlapping supporting shelf by 50 mm, for easier identification as pull-out shelf

For supporting shelves D 250 mm **Item no.** B 2003 M00 UN

For supporting shelves D 300 mm **Item no.** B 2003 N00 UN

End Panels

Wooden end panel

As finish for the bay's front side; easily retrofitted. If required, also available with labeling shelves; please see the **Schulz** Shelving Systems accessories catalogue.

Veneered wood / plastic coated, including fastening material.

For closed cabinet units, the side panel is compatible with the doors from page 31.

1 2 3

One end panel for bay height		Single-sided bays W 280 mm	Double-sided bays W 530 mm
H 1100 mm	Item no.	B 8800 GM0 UN	B 8801 GM0 UN
H 1500 mm	Item no.	B 8800 CM0 UN	B 8801 CM0 UN
H 2050 mm	Item no.	B 8800 DM0 UN	B 8801 DM0 UN
H 2250 mm	Item no.	B 8800 EM0 UN	B 8801 EM0 UN
H 2575 mm	Item no.	B 8800 HM0 UN	B 8801 HM0 UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

Wooden border

Surrounding frame as design element to emphasize the individual bay rows. Easily retrofitted. Can also be equipped with labelling shelves at the end walls, if required.

Hanging book stops, too, can be used in combination with additional cover shelves.

Cannot be combined with doors, lights or sectional labelling.

Veneered wood/plastic coated, including fastening material.

Outside edges of the side parts with mitre and incorporated bumper edge for emphasizing the high-quality look. D 300/570 mm, W 50 mm

Upon request, top shelves are also available for more than one bay section.

1 2 3

1 pair of side panels for wooden frame of single-sided bay rows with a shelf depth of 250 mm

For bay height

H 2050 mm	Item no.	B 8805 DM0 UN	1 pair
H 2250 mm	Item no.	B 8805 EM0 UN	1 pair
H 2575 mm	Item no.	B 8805 HM0 UN	1 pair

1 top shelf for wooden frame of single-sided bay rows with a shelf depth of 250 mm

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
Single shelf	Item no.	B 8806 MWS UN	B 8806 MUS UN	B 8806 MSS UN	B 8806 MRS UN
Top start shelf	Item no.	B 8806 MWA UN	B 8806 MUA UN	B 8806 MSA UN	B 8806 MRA UN
Middle shelf	Item no.	B 8806 MWM UN	B 8806 MUM UN	B 8806 MSM UN	B 8806 MRM UN
End shelf	Item no.	B 8806 MWE UN	B 8806 MUE UN	B 8806 MSE UN	B 8806 MRE UN

For shelf depth 300 mm = N (B 350 mm) the M in the item no. is replaced by an N.

1 pair of side panels for wooden frame of double-sided bay rows with a shelf depth of 250 mm

For bay height

H 2050 mm	Item no.	B 8807 DM0 UN	1 pair
H 2250 mm	Item no.	B 8807 EM0 UN	1 pair
H 2575 mm	Item no.	B 8807 HM0 UN	1 pair

1 top shelf for wooden frame of double-sided bay rows with a shelf depth of 250 mm

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
Single shelf	Item no.	B 8808 MWS UN	B 8808 MUS UN	B 8808 MSS UN	B 8808 MRS UN
Top start shelf	Item no.	B 8808 MWA UN	B 8808 MUA UN	B 8808 MSA UN	B 8808 MRA UN
Middle shelf	Item no.	B 8808 MWM UN	B 8808 MUM UN	B 8808 MSM UN	B 8808 MRM UN
End shelf	Item no.	B 8808 MWE UN	B 8808 MUE UN	B 8808 MSE UN	B 8808 MRE UN

For shelf depth 300 mm = N (B 670 mm) the M in the item no. is replaced by an N.

Perforated steel end panel

Easily retrofitted on existing shelving system. Order one end panel per bearing frame for single-sided bays and two for double-sided bays. Individual equipment with labeling shelves or other accessories for media presentation possible.

Please see the **Schulz** Shelving Systems accessories catalogue.

Lacquered metal, including fastening material.

Cannot be combined with doors.

One end panel for Bay height		Round holes RG 5/25	Square holes QG 10/62,5	Slots 4/40
H 1100 mm	Item no.	B 8810 GMR UN	B 8810 GMQ UN	B 8810 GMS UN
H 1500 mm	Item no.	B 8810 CMR UN	B 8810 CMQ UN	B 8810 CMS UN
H 2050 mm	Item no.	B 8810 DMR UN	B 8810 DMQ UN	B 8810 DMS UN
H 2250 mm	Item no.	B 8810 EMR UN	B 8810 EMQ UN	B 8810 EMS UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

Perforated steel end panel

Easily retrofitted on existing shelving system. Continuous four-sided, folded front from perforated sheet metal. Individual equipment with labeling shelves or other accessories for media presentation possible.

Please refer to the **Schulz** Shelving Systems accessories catalogue.

Lacquered metal, including fastening material.

For closed cabinet units, the end panel is compatible with the doors from page 31.

One end panel for single-sided bays W 280 mm Bay height		Round holes RG 5/25	Square holes QG 10/62,5	Slots 4/40
H 1100 mm	Item no.	B 8815 GMR UN	B 8815 GMQ UN	B 8815 GMS UN
H 1500 mm	Item no.	B 8815 CMR UN	B 8815 CMQ UN	B 8815 CMS UN
H 2050 mm	Item no.	B 8815 DMR UN	B 8815 DMQ UN	B 8815 DMS UN
H 2250 mm	Item no.	B 8815 EMR UN	B 8815 EMQ UN	B 8815 EMS UN

One end panel for double-sided bays W 530 mm Bay height		Round holes RG 5/25	Square holes QG 10/62,5	Slots 4/40
H 1100 mm	Item no.	B 8816 GMR UN	B 8816 GMQ UN	B 8816 GMS UN
H 1500 mm	Item no.	B 8816 CMR UN	B 8816 CMQ UN	B 8816 CMS UN
H 2050 mm	Item no.	B 8816 DMR UN	B 8816 DMQ UN	B 8816 DMS UN
H 2250 mm	Item no.	B 8816 EMR UN	B 8816 EMQ UN	B 8816 EMS UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

Micro-perforation end panels




Easily retrofitted on existing shelving system. The use of four-sided, folded sheet metal with micro-perforation creates a half-transparent look.

Lacquered metal, including fastening material.

Cannot be combined with doors.

One end panel for Bay height		Single-sided bays W 280 mm	Double-sided bays W 530 mm
H 1100 mm	Item no.	B 8811 GME UN	B 8811 GMD UN
H 1500 mm	Item no.	B 8811 CME UN	B 8811 CMD UN
H 2050 mm	Item no.	B 8811 DME UN	B 8811 DMD UN
H 2250 mm	Item no.	B 8811 EME UN	B 8811 EMD UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.



End Panels

Safety or acrylic glass end panels

As finish for the bay's front side; easily retrofitted. Made from frosted, laminated safety glass (German VSG). White translucent acrylic glass with satin finish and sand-blasted effect.

Both types are available in two different heights, i.e. floor-level and base-free.

The base-free type (see drawing) has the advantage of protection against kicks and bumps in the sensitive foot area.

Safety or acrylic glass including fastening material.

Cannot be combined with the cross baseboards (page 25).

For closed cabinet units, the end panel is compatible with the doors from page 31.

1 end panel for single-sided bays W 280 mm	Safety glass base-free	Safety glass floor level	Acrylic glass base-free	Acrylic glass floor level
Bay height				
H 1100 mm	Item no. B 8830 GMG UN	B 8832 GMG UN	B 8830 GMA UN	B 8832 GMA UN
H 1500 mm	Item no. B 8830 CMG UN	B 8832 CMG UN	B 8830 CMA UN	B 8832 CMA UN
H 2050 mm	Item no. B 8830 DMG UN	B 8832 DMG UN	B 8830 DMA UN	B 8832 DMA UN
H 2250 mm	Item no. B 8830 EMG UN	B 8832 EMG UN	B 8830 EMA UN	B 8832 EMA UN
H 2575 mm	Item no. B 8830 HMG UN	B 8832 HMG UN	B 8830 HMA UN	B 8832 HMA UN
1 end panel for double-sided bays W 530 mm	Safety glass base-free	Safety glass floor level	Acrylic glass base-free	Acrylic glass floor level
Bay height				
H 1100 mm	Item no. B 8831 GMG UN	B 8833 GMG UN	B 8831 GMA UN	B 8833 GMA UN
H 1500 mm	Item no. B 8831 CMG UN	B 8833 CMG UN	B 8831 CMA UN	B 8833 CMA UN
H 2050 mm	Item no. B 8831 DMG UN	B 8833 DMG UN	B 8831 DMA UN	B 8833 DMA UN
H 2250 mm	Item no. B 8831 EMG UN	B 8833 EMG UN	B 8831 EMA UN	B 8833 EMA UN
H 2575 mm	Item no. B 8831 HMG UN	B 8833 HMG UN	B 8831 HMA UN	B 8833 HMA UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

Alternatively the floor-level acrylic end panel with satin finish and sand-blasted effect is available in a version which is screwed to the bearing frame at a 12mm distance. (see drawing on the left, or UNIFLEX brochure page 8). Cannot be combined with doors.

For single-sided bays	Item no.	B 8834 . .A UN
For double-sided bays	Item no.	B 8835 . .A UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

U- and L-Cover Panels

U- and L-cover panels

Installing a double-sided bay with a right angle between two wall bays always creates a dead space which cannot be used; so we recommend closing it with a U-cover panel.

This does also apply to corners of rooms where two wall bays meet directly.

The L-cover panel will serve as a perfect end here.

Veneered wood / plastic coated, including fastening material.

1 2 3

Bay height	U-cover panel W 530 mm	L-cover panel W 280 mm
H 1100 mm	Item no. B 8804 GMU UN	B 8804 GML UN
H 1500 mm	Item no. B 8804 CMU UN	B 8804 CML UN
H 2050 mm	Item no. B 8804 DMU UN	B 8804 DML UN
H 2250 mm	Item no. B 8804 EMU UN	B 8804 EML UN
H 2575 mm	Item no. B 8804 HMU UN	B 8804 HML UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

Cabinets

Our UNIFLEX-S system offers the possibility of closing complete rows of bays or single sections with wooden doors, wooden framed doors with glass, complete glass doors or grid doors.

The bays need to have a back in order to exactly adjust the doors.

Existing bays with back can be easily retrofitted.

Either wooden and glass side panels or various outside panels with perforated sheet metal are available to create closed cabinet shelving systems. (see page 28)

Sides of individual sections can be closed with middle separating walls.

Set of wooden doors

For single- or double-sided bays with a shelf depth of 250 mm and with back.

Consists of two lockable wooden swivel doors (equally locking with locking bar).

veneered wood / plastic coated.

1 2

Bay height		Basic unit Axle size 1000 mm	Basic unit Axle size 900 mm	Add-on unit Axle size 1000 mm	Add-on unit Axle size 900 mm
H 1100 mm	Item no.	B 8862 GWG UN	B 8862 GUG UN	B 8862 GWA UN	B 8862 GUA UN
H 1500 mm	Item no.	B 8862 CWG UN	B 8862 CUG UN	B 8862 CWA UN	B 8862 CUA UN
H 2050 mm	Item no.	B 8862 DWG UN	B 8862 DUG UN	B 8862 DWA UN	B 8862 DUA UN
H 2250 mm	Item no.	B 8862 EWG UN	B 8862 EUG UN	B 8862 EWA UN	B 8862 EUA UN

Framed wooden doors with glass

One set for single- or double-sided bays with a shelf depth of 250 mm and with back.

Consists of two lockable swivel doors (equally locking with locking bar).

Swivel doors from veneered wood / plastic coated, with glass.

1 2

Bay height		Basic unit Axle size 1000 mm	Basic unit Axle size 900 mm	Add-on unit Axle size 1000 mm	Add-on unit Axle size 900 mm
H 1100 mm	Item no.	B 8866 GWG UN	B 8866 GUG UN	B 8866 GWA UN	B 8866 GUA UN
H 1500 mm	Item no.	B 8866 CWG UN	B 8866 CUG UN	B 8866 CWA UN	B 8866 CUA UN
H 2050 mm	Item no.	B 8866 DWG UN	B 8866 DUG UN	B 8866 DWA UN	B 8866 DUA UN
H 2250 mm	Item no.	B 8866 EWG UN	B 8866 EUG UN	B 8866 EWA UN	B 8866 EUA UN

Set of glass doors

For single- or double-sided bays with back. Consists of two lockable glass doors (equally locking with locking bar). All shelves are suitable. A wooden or metal shelf with attached, front-mounted tilt-stop has to be inserted at height of the lock.

Doors are from Sekurit® safety glass (single panel).

Bay height		Basic unit Axle size 1000 mm	Basic unit Axle size 900 mm	Add-on unit Axle size 1000 mm	Add-on unit Axle size 900 mm
H 1100 mm	Item no.	B 8871 GWG UN	B 8871 GUG UN	B 8871 GWA UN	B 8871 GUA UN
H 1500 mm	Item no.	B 8871 CWG UN	B 8871 CUG UN	B 8871 CWA UN	B 8871 CUA UN
H 2050 mm	Item no.	B 8871 DWG UN	B 8871 DUG UN	B 8871 DWA UN	B 8871 DUA UN
H 2250 mm	Item no.	B 8871 EWG UN	B 8871 EUG UN	B 8871 EWA UN	B 8871 EUA UN



Set of grid doors

For single- or double-sided bays with back. All shelves are suitable.
Grid swivel door from chromium-plated round steel, mesh size 60x60 mm, single wing, closes a complete shelving section each, with two locks, equally locking.
For bay height 2250 mm, axle size 1000 mm.

Item no. B 8860 EWR UN for DIN right
Item no. B 8860 EWL UN for DIN left (see drawing)

Middle separating wall

As side partition for shelving sections when doors are used.
Double-sided bays equipped with doors on both sides, require two each per bearing frame.
Lacquered metal.

		H 2050 mm	H 2250 mm
D 250 mm	Item no.	B 8845 DM0 UN	B 8845 EM0 UN
D 300 mm	Item no.	B 8845 DN0 UN	B 8845 EN0 UN

Single-sided UNIFLEX-S shelving system with sliding glass doors

Doors are separated in height and close a complete section. Minimum equipment is two adjacent sections. Extension is possible for 3, 4 or 5 sections.
All shelves are suitable. Sliding doors, 6 mm clear glass, lockable.
Bearing frame and bottom shelves from lacquered metal. Back, top shelves and end panels from veneered wood / plastic coated.
Bay height 2250 mm, axle size 1000 mm, shelf depth 250 mm.

Basic unit consists of two bay sections, three bearing frames, two backs, one bottom shelf and two sliding glass doors.

Item no. 0 1271 EME

Add-on unit consists of one bay section, one bearing frame, one back, one base bay shelf and two sliding glass doors.

Item no. 0 1271 EMO **Can only be ordered in conjunction with a basic unit as this includes the size of the cover shelf.**

For shelf depth 300 mm = N (W 330 mm) the M in the item no. is replaced by an N.

Top Sheves

Wooden top shelves

Can be used as work surface for low bays (height 1100 mm) or as design variation.
Available in different designs for bays without end panels, as front, middle, end or single shelf, or also for several sections upon request.
Veneered wood / plastic coated.

Our standard sectional labeling shelves and hanging book supports can also be used in combination with additional cover top shelves.

Shelf depth		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
		Sample calculation for a top shelf for single-sided bays without end panels			
D 250 mm	Item no..	B 8750 MW0 UN	B 8750 MU0 UN	B 8750 MS0 UN	B 8750 MR0 UN
D 300 mm	Item no..	B 8750 NW0 UN	B 8750 NU0 UN	B 8750 NS0 UN	B 8750 NR0 UN
		Sample calculation for a top shelf for double-sided bays without end panels			
D 250 mm	Item no.	B 8751 MW0 UN	B 8751 MU0 UN	B 8751 MS0 UN	B 8751 MR0 UN
D 300 mm	Item no.	B 8751 NW0 UN	B 8751 NU0 UN	B 8751 NS0 UN	B 8751 NR0 UN



Shelves for Atlases

Double-sided shelving system for atlases UNIFLEX-S

With eight wooden bay shelves and 15 vertical partitions to create 18 upright bay openings.
Atlases or other books with large format are stored upright and are to be removed from the front. Upright height per opening 650 mm respectively 700 mm.
Including eight book stops per bay storey.
Bearing frame and traverse from lacquered metal.
Shelves and vertical partitions made of veneered wood / plastic coated.

H 2250 mm, D 530 mm Axle size 1000 mm
Basic shelving system **Item no.** B 1360 EWM UN
Add-on shelving system **Item no.** B 1460 EWM UN

End Panel Accessories

Slanted shelf 60°

For presentation of books, magazines, etc.
For hanging at the end of double-sided bays, lacquered metal, including fastening material, W 469 mm

D 290 mm **Item no.** B 8222 OM0 UN

End panel shelf

For hanging at the end of double-sided bays, lacquered metal, including fastening material, W 469 mm, H 120 mm

D 250 mm **Item no.** B 8221 OM0 UN Usable depth 220 mm

Shelves on Castors

For on castors, we recommend the use of basic shelving only as they are easier to handle. Do not connect more than three sections.

Double-sided UNIFLEX-S bay on wheels

Standard model with hard castors for PVC and carpet flooring, bearing capacity 90 kg per wheel. Including traverse, without shelves.
Lacquered metal, D 530 mm

		Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm	Axle size 500 mm
Starter bay					
H 1100 mm	Item no.	B 1320 GWM UN	B 1320 GUM UN	B 1320 GSM UN	B 1320 GRM UN
H 1500 mm	Item no.	B 1320 CWM UN	B 1320 CUM UN	B 1320 CSM UN	B 1320 CRM UN
H 2050 mm	Item no.	B 1320 DWM UN	B 1320 DUM UN	B 1320 DSM UN	B 1320 DRM UN
H 2250 mm	Item no.	B 1320 EWM UN	B 1320 EUM UN	B 1320 ESM UN	B 1320 ERM UN
Add-on bay					
H 1100 mm	Item no.	B 1420 GWM UN	B 1420 GUM UN	B 1420 GSM UN	B 1420 GRM UN
H 1500 mm	Item no.	B 1420 CWM UN	B 1420 CUM UN	B 1420 CSM UN	B 1420 CRM UN
H 2050 mm	Item no.	B 1420 DWM UN	B 1420 DUM UN	B 1420 DSM UN	B 1420 DRM UN
H 2250 mm	Item no.	B 1420 EWM UN	B 1420 EUM UN	B 1420 ESM UN	B 1420 ERM UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N.

Lights for Shelving Systems

UNIFLEX offers numerous lighting systems for shelving systems in order to let light have an effect where it is required and to guarantee the desired flexibility for the installation of our shelving systems.

The range of lights goes from high-performance halogen spots to vertical lights to continuous light assemblies. Covered cable conducts require special UNIFLEX bearing frames for lights. Please contact us for a detailed light plan with optimal bay lighting, if desired.

Halogen bay light

Suitable as bay light as well as accent light.

For single- or double-sided bays, to put on special UNIFLEX bearing frames (with cable conduct K1) for lights with covered cable conducts to the floor.

Lights include halogen reflector lamp for voltage 230V/50W and cable to the bay base (max. bay height 2250 mm). For central circuit.

Protruding approx. 300 mm to front edge of light. Lacquered metal.

Cannot be combined with doors.

Item no. B 8700 000 UN one halogen bay light for UNIFLEX bearing frame for lights

Accessories for connection and combination at the bay base:

Connector cable with Schuko plug

including distribution coupling for cable guiding at bay base, one each required per bay row

Item no. B 8701 000 UN 1 meter, black
B 8701 003 UN 3 meter, black

Connecting cable

For single- and double-sided bays, including distribution coupling for cable guiding at bay base.

Item no. B 8702 000 UN standard length for max. axle size 1000 mm, one each required per add-on bay section, black

Vertical light

For mounting on standard bearing frame of single- and double-sided bays, H 2250 mm.

Lights including fluorescent lamp 58 W, length 1500 mm, low-loss choke ("VVG") and diffuser for perforated sheet metal. Outside and middle lights are available for optimal light distribution in bays. Interlinking of light connectors is done by plugs and distribution couplings at the bay base. Lights for central circuit, counterbalanced upon request.

Protruding approx. 70 mm to front edge of light. Lacquered metal.

Item no. B 8720 E0A UN one (1) vertical outer light (VVG)
B 8720 E0M UN one (1) vertical middle light (VVG)

Alternatively the vertical light is also available with an electric choke.

Item no. B 8721 E0A UN one (1) vertical outer light (EVG)
B 8721 E0M UN one (1) vertical middle light (EVG)

Accessories for connection and combination at the bay base:

Connector cable with Schuko plug




including distribution coupling for cable guiding at bay base, one each required per bay row

Item no. B 8701 000 UN 1 meter, black
B 8701 003 UN 3 meter, black

Connecting cable

For single- and double-sided bays, including distribution coupling for cable guiding at bay base.

Item no. B 8702 000 UN standard length for max. axle size 1000 mm, one each required per add-on bay section, black



Continuous light assemblies

Light assemblies can be mounted via different lamp arms or bay connectors with pre-installed lamp holders (see p.22), as desired. In accordance with the use, special UNIFLEX bearing frames for lights have to be planned for covered cable conducts.

Various light systems are available:

Item no. 0 9067 . 10 upon request
Item no. 0 9067 . 20 round light System 65 with acrylic cover
Item no. 0 9067 . 30 round light System 65 with metal grid, white
Item no. 0 9068 . 10 round light System 60 with acrylic cover
Item no. 0 9068 . 20 round light System 60 with parabolic mirror screen

All lights with electronic choke, either in T5 or T8 technology, connection via Schuko plug or by direct wiring with distribution wall-socket.

We shall be pleased to plan a detailed layout for an optimum lighting of your bays, if desired.

Lamp arms

Put-on lamp arms for continuous light assemblies

For round light System 65 and rectangular light System 60. Protruding approx. 250 mm to front edge of light. Lacquered metal.

Cannot be combined with doors.

Lamp arm for fastening light **Item no.** B 8745 000 UN

Lamp arm for fastening light and cable conduct in front spar for UNIFLEX bearing frame for light with cable conduct K1 **Item no.** B 8745 00K UN

Screw-on lamp holder

Protruding approx. 250 mm to front edge of light, including fastening material. U-profile 30x30 mm, lacquered metal.

Cannot be combined with doors.

For single-sided bays for fastening lights **Item no.** B 8740 ME0 UN

For single-sided bays for fastening lights and cable conduct (Standard bearing frame) **Item no.** B 8740 MEK UN

For double-sided bays for fastening lights **Item no.** B 8740 MD0 UN

For double-sided bays for fastening lights and cable conduct via UNIFLEX bearing frame for lights (with open middle bar V 1011 . . . 12) **Item no.** B 8740 MDK UN

For shelf depth 300 mm = N (W 330/630 mm) the M in the item no. is replaced by an N

Bay connectors for lamp installation

Continuous lights assemblies can also be fastened by bay connectors (see p.22).

For round light System 65 and rectangular light System 60. Special UNIFLEX bearing frames for lights have to be planned for covered cable conducts. (with open middle bar V 1011 . . . 12)

Item no. 0 2745 upon request

Magazine Presentation and Archiving

Transparent slanted shelves

For insertion in bay sections with a shelves depth of 250 mm, for the presentation of magazines, brochures, leaflets, etc.
Acrylic glass, highly transparent, including fastening material, depth 300 mm, total height of front edge 60 mm

For shelf depth	Axle size 1000 mm	Axle size 900 mm
D 250 mm	Item no. B 8320 MW0 UN	B 8320 MU0 UN

Transparent foil

Will be placed on slanted shelves, depth 300 mm. Is perfect for the insertion of front pages or copies as organizing aids. Transparent plastic.

Item no. B 8322 0W0 XX H 295 mm, axle size 1000 mm, smaller sizes by cutting

Magazine flap

For the presentation of 3 magazines, previous editions will be stored broadside on the shelf underneath.
Broadside storage has the advantage that the titles on the magazine spine can still be seen from the front.
A very effective lever mechanism supports the comfortable use and keeps the open flap open.
Easily retrofitted for single- and double-sided bays with axle size 1000 mm and shelf depth 250 or 300mm.
In order to avoid slipping-through magazines, we recommend backs for the bays. UNIFLEX-S bays H 2250 mm can be equipped with a maximum of six flaps high.
Stacking height for DIN A4: 160 mm. Flap and side panels, metal lacquered, W 961 mm, H 340 mm, without shelves.

Item no. B 8315 MW0 UN Axle size 1000 mm

Broadside box (Querbox ®) for magazines





for storing magazines in bays with 250 mm shelf depth.
When open, the presentation flap for the current issue can be inserted for easier handling.
An additional antireflex transparent foil can be used to place a cover sheet which helps when tracking the borrowed issue.
Magazines are placed broadside in the box, having the advantages that the spines are still showing to the front and that the magazines are stored with more care than in standing boxes and can be taken out more easily.
Stacking 140 mm, max. magazine size W 230 mm, H 315 mm.
Box and flap lacquered metal, max. three (3) each per shelf with axle size 1000 mm.
W 320 mm, D 260 mm, H 320 mm.

Item no. B 8311 000 XX

Magazine collector

A slanted back and an additional side stop make it possible to present individual stacks of magazines in an orderly manner in bays with a shelf depth of 250 mm or more.
A double front edge keeps this collector flush with the front edge of the shelf.
For use on metal shelves, an additional front slip protector has been installed.
Lacquered metal, back height 300 mm, depth when placed 80 mm.

DIN A4	Item no. B 8025 A40 XX	Width 220 mm, max. 4 each per shelf, axle size 1000 mm
DIN A3	Item no. B 8025 A30 XX	Width 440 mm, max. 2 each per shelf, axle size 1000 mm



CD / DVD Presentation and Archiving

AV media tray

Can be hung in bays with a shelf depth of 250 and 300mm. Allows user-friendly leafing of media with simultaneous frontal presentation.
Variable division by movable dividers, can therefore be used for different AV media.
Box and dividers lacquered metal, wooden sides veneered/plastic coated, including grooved rubber mat and threading sticks
D 376 mm, H 100 mm

For shelf depth	Axle size 1000 mm including 5 dividers for approx. 180 CDs	Axle size 900 mm including 4 dividers for approx. 150 CDs
250 mm	Item no. B 8600 MW0 UN	B 8600 MU0 UN
300 mm	Item no. B 8600 NW0 UN	B 8600 NU0 UN
Item no.	B 8601 000 XX	one each additional divider

Multimedia browser as top

For a tidy and room-saving storage of CDs, CD-ROMs and DVDs, videos or cassettes. Allows user-friendly leafing of media with simultaneous frontal presentation.
Variable division by movable dividers.
Metal browser lacquered for locking on wooden and metal shelves of 250mm depth without book stop.
Browser height 100 mm, including grooved rubber mat

	Axle size 1000 mm including 5 dividers for approx. 120 CDs/DVDs	Axle size 900 mm including 4 dividers for approx. 100 CDs/DVDs
Item no.	B 8620 MW1 XX	B 8620 MU1 XX
Item no.	B 8621 M00 XX	one each additional divider

Pull-out multimedia browser





A telescopic full rail allows for stacking several browsers in the bay with shelves of 250 mm depth, without using too much space.
An additional handle signals the user this pull-out function. Description as above, here with pull-out and handle.


	Axle size 1000 mm	Axle size 900 mm
Item no.	B 8620 MW0 UN	B 8620 MU0 UN
Item no.	B 8621 M00 XX	one each additional divider

Multimedia manger

CDs, CD-ROMs, DVDs and videos can be stored either in front presentation or side by side presenting the spine. Both storage types offer an easy view of and ideal access to the media as the browser is slanted.
For high quantities of media, the system is an ideal supplement to the extendible multimedia browser or the hanging AV media tray. Browser lacquered metal, including hanging kit for insertion into the lower C-profile of the bearing frame or variably in the perforation.
D 165 mm, height of front protrusion 140 mm.

	Axle size 1000 mm	Axle size 900 mm
For front presentation	for approx. 90 CDs	for approx. 90 CDs
For spine presentation	for approx. 95 CDs	for approx. 85 CDs
For shelf depth		
D 250 mm	Item no. B 2080 MW0 UN	B 2080 MU0 UN





Subject manger

For a better assignment of subject-related AV media such as CDs, CD-ROMs, DVDs to the existing book stock.

Can be placed on bays or desks, as desired.
Manger, lacquered metal, with feet and anti-slip protection.
W 150 mm, D 220 mm, H 120 mm

Item no. B 8505 000 XX for approx. 20 CDs/DVDs

Item no. B 8506 000 XX grooved rubber mat for subject manger

Multimedia stair

Flexible solution for room-saving storage of CDs, CD-ROMs or DVDs in bays with shelf depth 250 mm. The stair can be hung single, double and – in front of the bay - also triple.

A slight slanting guarantees the ideal view of and access to the media.

Besides that the system is an ideal supplement to the extendible multimedia browser or the AV media tray, if it is hung single or double above these.

Browser lacquered metal, including hanging kit and grooved rubber mat,
D 110 mm, height of front protrusion 50 mm.


Axle size 1000 mm Axle size 900 mm

Front presentation for approx. 60 CDs for approx. 60 CDs

Item no. B 8510 MW0 UN B 8510 MU0 UN

Grooved rubber mat

Item no. B 8511 MW0 UN B 8511 MU0 UN




Compact Systems

For an optimal use of the existing space, the UNIFLEX-S shelving system is also available as mobile shelves. You can gain more than 100% of space.

Existing stationary UNIFLEX bays can be converted into mobile systems by using a special adapter. This is definitely a plus for future space requirements.

Besides the common advantages of mobile shelves, our UNIFLEX-S system has the following additional features:



1. Identical system as the stationary book or magazine bays.
2. Compatibility of bay shelves and other system accessories, therefore easier storing and flexibility in use.
3. Special system concept for storing of books and AV media. No limitations for use nor damages to books.
4. Guarantee for reordering and delivery.

Front Side Labeling, Bay Shelf Labeling, Book Supports

Front Labeling

for insertion in the upper C-profile of the bearing frame.

Plastic labeling sign, transparent, antireflex, H 50 mm, with exchangeable, humidity resistant labeling strip, white.

Order one each for single-sided bays and two each for double-sided bays.

Item no. B 8085 M00 UN one each for shelf depth 250 mm

Item no. B 8085 N00 UN one each for shelf depth 300 mm

Put-on sign for shelf labeling

Simply put it on the metal or wooden shelf, transparent plastic, antireflex, H 21 mm, with exchangeable labeling strip, white.

W 210 mm **Item no.** B 8040 000 XX

W 105 mm **Item no.** B 8040 200 XX


Book end support bar

Round steel, bright galvanized,

for insertion into the grid holes of the bearing holes and therefore height adjustable

Item no. B 8001 M00 UN one each for shelf depth 250 mm

Item no. B 8001 N00 UN one each for shelf depth 300 mm



Multi-storey Shelving Systems



Our shelving system UNIFLEX-S offers the possibility of multi-storey construction for an economic use of extremely high rooms. This requires a screwing of the bay base spars to the bare concrete floor and a connection of the spars with so-called 'hat profiles' at the upper end. These 'hat profiles' add additional stability to the multi-storey system and serve simultaneously as bearing for an intermediate ceiling in lightweight construction (p.e. E1 high-quality chipshelves, 38 mm). A new bay storey can be placed on this intermediate ceiling. The bay spars will be screwed at the base to the below spars.

The profiles of our UNIFLEX system only have small diameters, but this frame construction stands for the required stability for elegant and inexpensive solutions which help using extremely large rooms to their full extent.

We shall be pleased to elaborate specially designed room concepts for your requirements, upon request. Not only constructional proposals but also required static calculations is part of our work when a contract is awarded. Please contact our competent specialists or ask for a consultation appointment – free, of course, and without any obligation.

Just like the mechanics of a clock where many adjusted parts match with each other, a well thought-out and balanced programme of accessories is vital for the functionality and quality of library furniture.

The following overview will introduce you to our shelving systems for scientific and public libraries.

These systems form the basis for using an extensive and future-oriented range of accessories which we have compiled in this catalogue.

Information on colours and surfaces is in accordance with the SchulzColorRange:

● Colours
for metal and wood lacquering

■ Surfaces
wooden or plastic

✱ Materials/cloth
for seating furniture



UNIFLEX (UN)

This classic shelving and organizing system is built as frame construction from square steel bars and stands for proven quality in a timeless design.

UNIFLEX reveals its flexibility in daily use.

The extensive accessories and equipment programme enables an unconditional orientation towards all possible customer requests.

QUADRA (QU)

Our system QUADRA has an analogue construction, yet with square profiles, and has also been designed for long-term use in functionality and quality as well as for the very high demands and strains in libraries. You can choose between two different design options which will not only be functional but will set a trend in modern library furniture.

RONDEA (RO)

The elegant attitude of our shelving system RONDEA with round steel bars has been coined by reserve and transparency. The filigree construction emphasizes architecture and media. An extensive programme of accessories and two different design options make RONDEA quite adaptable.

Hanging Book Stops

Hanging book stop, Model BS 22

For insertion in metal shelves, easily adjustable, round steel, chromed, with unbreakable plastic sliders for an easy and quiet use.
H 220 mm

Fits all systems

For shelf depth 250 mm
For shelf depth 300 mm

Item no.

B 8002 M00 XX
B 8002 N00 XX

Hanging book stop, Model BS 28


For insertion in metal shelves with high shelf distances, similar to model BS 22, also suitable for books with extremely large format or very small books through its extra size
H 280 mm

Fits all systems

For shelf depth 250 mm
For shelf depth 300 mm

Item no.

B 8002 M28 XX
B 8002 N28 XX



Divider, Model TS

For sliding upon hanging book stops, model BS 22 and BS 28. The divider lies directly upon the shelves through its own weight and is a valuable accessory part for loose-leaf collections, brochures, music books etc.
White plastic.
D 240 mm, H 250 mm

Fits all systems

For shelf depth 250 mm and 300 mm
XX

Item no.

B 8005 M00

Hanging book stop, Model HB 22

For insertion in Multiplex-wooden shelves with guiding grooves for book stops, easily side adjustable, chromed round steel.
H 220 mm

Item no.

UNIFLEX B 8012 000 UN
QUADRA B 8012 000 QU
RONDEA B 8012 000 RO

Hanging book stop, Model BSD 22 BSD 28

For insertion in wooden shelves with guiding rail for book stops, easily adjustable, round steel, chromed.

Item no. H 220 mm H 280 mm

UNIFLEX B 8003 000 UN B 8003 028 UN
QUADRA B 8003 000 QU B 8003 028 QU
RONDEA B 8003 000 RO B 8003 028 RO



Book end stop, Model EP
For insertion in metal shelves with high shelf distances, similar to model BS 22, also suitable for books with extremely large format or very small books through its extra size
H 280 mm

For shelf depth 250 mm

Item no.

UNIFLEX B 8006 000 UN
QUADRA B 8006 000 QU
RONDEA B 8006 000 RO



Book End Stops

Rod as book end stop, Model B 1

For insertion into the perforated holes of the bearing frame, thus variable in height; using two rods on top of each other will perfectly secure books against tipping (see picture), round steel, bright galvanized.

Item no.

1 each for	shelves depth 250 mm	shelves depth 300 mm
UNIFLEX	B 8001 M00 UN	B 8001 N00 UN
QUADRA	B 8001 M00 QU	B 8001 N00 QU
RONDEA	B 8001 M00 RO	B 8001 N00 RO

Book end stop brace, Model DR 2


For insertion into metal shelf boards, chromed round steel.
H 150 mm

Item no.

	shelves depth 250 mm	shelves depth 300 mm
UNIFLEX	B 8007 M00 UN	B 8007 N00 UN
QUADRA	B 8007 M00 QU	B 8007 N00 QU
RONDEA	B 8007 M00 RO	B 8007 N00 RO



Angled Book Stops



Angled book stop, Model WB
Suitable for all shelving systems, metal – lacquered white or black. W 120 mm, D 80 mm, H 130 mm

Fits all systems **Item no.**
B 8020 000 XX

Angled book stop, Model WB 1, WB 2
Suitable for all shelving systems, available in two heights, lacquered metal. ● W 120 mm, D 150 mm, H 175/240 mm

Fits all systems **Item no.**
Height 175 mm B 8021 010 XX
Height 240 mm B 8021 020 XX



Angled book stop, Model WBG
For metal shelves, stop right or left, with front edge and secured fastening for an optimum guiding and for attaching inscriptions. Lacquered metal. ● W 150 mm, D 150 mm, H 200 mm

Fits all systems **Item no.**
Stop right B 8023 00R XX
Stop left B 8023 00L XX
With inscription, Stop right B 8023 10R XX
With inscription, Stop left B 8023 10L XX

Lettering tag, Model KA/S
For later attachment to angled book stops with front edge, transparent plastic, self-adhesive, incl. exchangeable white inscription card. W 147 mm, H 20 mm
Schulz Lettering Service upon request


Fits all systems **Item no.**
B 8044 201 XX

Blank lettering strips, white, sheet with 13 strips, W 209 mm (shorter sizes by cutting)
B 8041 000 XX




Universal angled book stop, Model WBU
For metal shelves, can be used left or right simply by turning, both sides with a front edge and secure fastening for optimum guiding, a broad grip edge prevents from unintentional movement of books onto the vertical support side, suitable for horizontal and vertical lettering. ● Lacquered metal. W 175 mm, D 182 mm, H 175 mm

Without lettering tag **Item no.**
Fits all systems B 8024 000 XX



Additional Furnishing for Shelves




Book stop, Model BA
For metal shelves, flexible use, can also be mounted as tilt securing for shelves with projection.
● Lacquered metal.
H 24 mm

	Item no.
Axle size 1000 mm	
UNIFLEX	B 8029 0W0 UN
QUADRA	B 8029 0W0 QU
Axle size 900 mm	
UNIFLEX	B 8029 0U0 UN
QUADRA	B 8029 0U0 QU
Axle size 750 mm	
UNIFLEX	B 8029 0S0 UN
QUADRA	B 8029 0S0 QU



Tilt securing, Model KIS
For extractable shelf respectively metal or wooden shelf with projection, prevents the forward tilt of the shelf in the bay; two tilt securings required per shelf, black plastic.

Item no.	1 each
UNIFLEX	B 8070 000 UN
QUADRA	B 8070 000 QU
RONDEA	B 8070 000 RO



Shelf reinforcement, Model UZ
For metal shelves with extreme shelf, can be easily retrofitted, allows an additional weight of approx. 30 kg per shelf.
● lacquered metal.



Item no.	Axle size 1000 mm	Axle size 900 mm	Axle size 750 mm
UNIFLEX	B 8071 0W0 UN	B 8071 0U0 UN	B 8071 0S0 UN
QUADRA	B 8071 0W0 QU	B 8071 0U0 QU	B 8071 0S0 QU
RONDEA	B 8071 0W0 RO	B 8071 0U0 RO	B 8071 0S0 RO

Notes
Complete set of metal shelves with pre-inserted board reinforcement.


Board without Book stop	Item no.
	B 2140 ... (..)
Board with Book stop	Item no.
	B 2141 ... (..)

(..) = UN, QU, RO



Slanting hook, Model SSTH
For extractable shelves respectively metal or wooden shelves with projection, prevents the forward tilt of the shelf in the bay; two tilt securings required per shelf, black plastic.


1 each	Item no.
RONDEA	B 8009 000 RO
QUADRA	B 8009 000 QU



Slanting brace, Model SSTB
For variable slanting of shelves with book stop (edge), for display and front presentation; two each slanting braces required per shelf; round steel, bright galvanized.


1 each for metal or wooden shelves	Item no.
UNIFLEX	B 8010 000 UN
QUADRA	B 8010 000 QU
RONDEA	B 8010 000 RO

Fittings



Wall fastening, Model WBEF
For single-sided bays with more than 1100 mm height; bright galvanized metal, incl. fastening kit.
Wall distance 0 – 40 mm.

1 each	Item no.
UNIFLEX	B 8050 000 UN
QUADRA	B 8050 000 QU
RONDEA	B 8050 000 RO



Connection clamp, Model VBKL
For connecting the bearing frames of two adjacent shelving sections, very helpful for extremely high bays or for precise adjustment of the bearing frames, one each is required per shelf connection.
Bright galvanized metal.

1 each	Item no.
UNIFLEX	B 8052 000 UN
QUADRA	B 8052 000 QU



Corner connection angle, Model EVW
For connecting the bearing frames of two shelving sections across the corner, for an even distance between the shelves. Two each are required per shelf connection. Nickel-plated metal, incl. fastening kit.

1 each	Item no.
UNIFLEX	B 8051 000 UN
QUADRA	B 8051 000 QU

Tool kit (no picture)
For mounting of all Schulz shelving systems, consisting of two fork wrenches SW 10 and three Allan keys of 4, 5 and 7 mm

Fits all systems	Item no.
	B 8999 000 XX

Adjusting key for feet (no picture)
For the adjustment of leveling screws.

Item no.	Item no.
UNIFLEX	B 8998 000 UN (SW 28)
QUADRA	B 8998 000 QU (SW 28)
RONDEA	B 8998 000 RO (SW 27)



Corner Shelves

Corner shelf for double-sided bays, Model EFD

Wooden shelf for insertion in front side of double-sided bay with a shelf depth of 250 mm, incl. hanging kit, wood veneered/plastic coated. 1 2

Item no.	45° wooden shelf	60° wooden shelf	90° wooden shelf
UNIFLEX	B 2012 M45 UN	B 2012 M60 UN	B 2012 M90 UN
QUADRA	B 2012 M45 QU	B 2012 M60 QU	B 2012 M90 QU
RONDEA	B 2012 M45 RO	B 2012 M60 RO	B 2012 M90 RO



Corner shelf for double-sided bays, Model EFDR


Wooden shelf with rounded front edge, for insertion in front side of double-sided bays with a shelf depth of 250 mm, incl. hanging kit, wood veneered/plastic coated. 1 2

Item no.	45° wooden shelf round	60° wooden shelf round	90° wooden shelf round
UNIFLEX	B 2013 M45 UN	B 2013 M60 UN	B 2013 M90 UN
QUADRA	B 2013 M45 QU	B 2013 M60 QU	B 2013 M90 QU
RONDEA	B 2013 M45 RO	B 2013 M60 RO	B 2013 M90 RO

Corner shelf for single-sided bays, Model EF

Wooden shelf for insertion in front sides of single-sided bay with a shelf depth of 250 mm, incl. hanging kit, 1 2 wood veneered/plastic coated.

90° wooden shelf	Item no.
UNIFLEX	B 2010 M90 UN
QUADRA	B 2010 M90 QU
RONDEA	B 2010 M90 RO



Corner shelf for single-sided bays, Model EFR

Wooden shelf with round front edge, for insertion in front side of single-sided bays with a shelf depth of 250 mm, incl. hanging kit, 1 2 wood veneered/plastic coated.


90° wooden shelf, round	Item no.
UNIFLEX	B 2011 M90 UN
QUADRA	B 2011 M90 QU
RONDEA	B 2011 M90 RO



Trapezoidal shelf for single-sided bays, Model EFI

Wooden shelf for insertion in the front side of single-sided bays with a shelf depth of 250 mm, with rear book stop (edge) which prevents an unintentional slide-through of the media, incl. hanging kit, 1 2 wood veneered/plastic coated.

90° wooden shelf	Item no.
UNIFLEX	B 2020 M00 UN
QUADRA	B 2020 M00 QU
RONDEA	B 2020 M00 RO



Item no.	for Axle size 1000 mm
UNIFLEX	B 5510 MW0 UN
QUADRA	B 5510 MW0 QU
RONDEA	B 5510 MW0 RO

Hanging desk, rectangular, Model EHT/RE
Reading and computer desk for insertion in bay sections with a shelf depth of 250 mm, numerous modes of use, desk surface 1 2 wood veneered/plastic coated, incl. hanging kit and tilt securing, ● lacquered metal feet.
D 750 mm, H 725 mm

Item no.	for Axle size 900 mm	for Axle size 750 mm
B 5510 MU0 UN	B 5510 MS0 UN	
B 5510 MU0 QU	B 5510 MS0 QU	
B 5510 MU0 RO	B 5510 MS0 RO	



Item no.	for Axle size 1000 mm, D 793 mm
UNIFLEX	B 5513 MW0 UN
QUADRA	B 5513 MW0 QU
RONDEA	B 5513 MW0 RO

Hanging desk, pentagonal, Model EHT/FE
Reading desk for insertion in bay sections with a shelf depth of 250 mm, also ideal for small and cramped rooms, desk surface from 1 2 wood veneered/plastic coated, incl. hanging kit and tilt stop, ● lacquered metal feet.
H 725 mm

Item no.	for Axle size 900 mm, D 743 mm	for Axle size 750 mm, D 668 mm
B 5513 MU0 UN	B 5513 MS0 UN	
B 5513 MU0 QU	B 5513 MS0 QU	
B 5513 MU0 RO	B 5513 MS0 RO	



Hanging desk, round, Model EHT/RU

Reading and computer desk for insertion in front sides of double-sided bays with a shelf depth of 250 mm, desk surface 1 2 wood veneered/plastic coated, incl. hanging kit, ● lacquered metal feet.
Diameter 1000 mm, D 927 mm, H 725 mm

Item no.	Item no.
UNIFLEX	B 5501 M00 UN
QUADRA	B 5501 M00 QU
RONDEA	B 5501 M00 RO



Hanging Tables/Desks

Hanging desk, drop-shaped, Model EHT/TR
Reading and computer desk for insertion in front sides of double-sided bays with a shelf depth of 250 mm when installed as angle 90° combination; offers readers and employees a generous work and display area, desk surface from wood veneered/plastic coated, 1 2 incl. hanging kit, ● lacquered metal feet.
Diameter 1040 mm, H 725 mm

Item no.	Item no.
UNIFLEX	B 5500 M00 UN
QUADRA	B 5500 M00 QU
RONDEA	B 5500 M00 RO



Base Cabinets

AV media cabinet, Model MS

Base cabinet with four drawers on telescopic full rails, designed for variable organization through mobile dividers, suitable for different AV media. for individual wall placement or for insertion in shelves with an axle size of 900 mm. Lockable upon request and with rail stop which prevents tilting by simultaneous opening of several drawers.

1 2 3 Wooden body veneered/plastic coated.
W 865 mm, D 600 mm, H 870 mm

Item no.


- B 3495 4U0 (..) with lock, with rail stop (see picture)
B 3495 4U1 (..) without lock, with rail stop
B 3495 4U2 (..) without lock, without rail stop
(for wall mounting)

(..) = UN, QU, RO



Accessories for drawers in AV media cabinet

For variable set-up of drawers with 4 mobile dividers, grooved rubber mat and 2 threading bars from stainless steel, for 200 CDs with standard cover or 1000 CDs with protective sleeve, or 90 DVDs. Metal dividers, silver lacquered.
H 80 mm



Item no.

- B 3516 0U0 (..) 1 set for 1 drawer
B 3517 000 (..) 1 each additional divider
(..) = UN, QU, RO

Base cabinet with swing door, Model USS

Lockable base cabinet with height adjustable shelf, wood veneered/plastic coated. **1 2 3**
H 870 mm

	Item no.	Item no.
	D 400 mm	D 600 mm
for axle size 1000 mm, W 965 mm,	B 3503 4W0 (..)	B 3504 4W0 (..)
Additional shelf	B 3503 0W0 (..)	B 3504 0W0 (..)
for axle size 900 mm, W 865 mm,	B 3503 4U0 (..)	B 3504 4U0 (..)
Additional shelf	B 3503 0U0 (..)	B 3504 0U0 (..)

(..) = UN, QU, RO

Base cabinet with sliding doors, Model STS

Lockable base cabinet with height-adjustable shelf, wood veneered/plastic coated. **1 2 3**
H 870 mm

	Item no.	Item no.
	D 400 mm	D 600 mm
for axle size 1000 mm, W 965 mm,	B 3501 4W0 (..)	B 3502 4W0 (..)
Additional shelf	B 3501 0W0 (..)	B 3502 0W0 (..)
or axle size 900 mm, W 865 mm,	B 3501 4U0 (..)	B 3502 4U0 (..)
Additional shelf	B 3501 0U0 (..)	B 3502 0U0 (..)

(..) = UN, QU, RO

Reading and Pull-out Shelves



Reading and presentation shelf, semicircular, Model ALL

Wooden shelf for insertion in shelving sections with axle size 500 mm and a shelf depth of 250 mm, incl. hanging kit and tilt stops, wood veneered/plastic coated. **1 2**
Axle size 500 mm, D 480 mm

	Item no.
UNIFLEX	B 2729 MR0 UN
QUADRA	B 2729 MR0 QU
RONDEA	B 2729 MR0 RO



Front-side reading and presentation shelf, semicircular, Model ALS

Wooden shelf for insertion in front side of double-sided bay with a shelf depth of 250 mm, easily retrofitted, incl. hanging kit and tilt stops, wood veneered/plastic coated. **1 2**
W 525 mm, D 500 mm

	Item no.
UNIFLEX	B 2033 M00 UN
QUADRA	B 2033 M00 QU
RONDEA	B 2033 M00 RO



Folding board, Model FK

For attachment at front sides of double-sided bays, easy folding for reading, easily retrofitted, lacquered metal. ●
Incl. fastening kit.
W 520 mm, D 300 mm

Item no.

For attachment on wooden panels
UNIFLEX B 2041 000 UN
QUADRA B 2041 000 QU

For attachment on shelf bearing frame W 530
UNIFLEX B 2031 0M0 UN
QUADRA B 2031 0M0 QU

For attachment on shelf bearing frame W 630
UNIFLEX B 2031 0N0 UN
QUADRA B 2031 0N0 QU



Pull-out shelf, Model FAZ

On hidden telescopic full rails, for installation under metal or wooden shelves from axle size 750 mm upwards, width 600 mm, incl. installation kit and tilt stops, lacquered metal. ●

	Item no.	Item no.
For bearing shelves	wood	metal
Pull-out depth 245 mm, front edge flush with bearing shelf		
For bearing shelf D 250 mm	B 2006 M00 (..)	B 2000 M00 (..)
For bearing shelf D 300 mm	B 2006 N00 (..)	B 2000 N00 (..)
Pull-out depth 295 mm, front edge protruding 50 mm over bearing shelf, easier identification as pull-out shelf shelf.		
For bearing shelf D 250 mm	B 2007 M00 (..)	B 2001 M00 (..)
For bearing shelf D 300 mm	B 2007 N00 (..)	B 2001 N00 (..)

(..) = UN, QU, RO



Drawer seat, Model SIK

For use in and insertion in shelving sections, on wheels; with removable, upholstered seat, suitable as storage space. Wood beech multiplex. D 570 mm, H 275 mm

Item no. for Axle size 1000 mm	for Axle size 900 mm	for Axle size 750 mm
UNIFLEX B 8420 0W0 UN	B 8420 0U0 UN	B 8420 0S0 UN
QUADRA B 8420 0W0 QU	B 8420 0U0 QU	B 8420 0S0 QU
RONDEA B 8420 0W0 RO	B 8420 0U0 RO	B 8420 0S0 RO

Presentation grid, straight, Model GISE

For attachment to front of double-sided bays with a shelf depth of 250 mm, as bearing system for presentation elements and an inscription shelf, chromed round steel, incl. fastening material. W 490 mm, H 1750 mm

With four bearing clamps

Item no.
RONDEA B 8200 000 RO

With two connection clips

B 8200 000 (.)

(.) = UN, QU


Presentation grid, angle shaped, Model GISE/W

Similar to Model GISE but with expanded, angle-shaped presentation space. W 490 mm, D 522 mm, H 1750 mm

With four bearing clamps and two connection clips

Item no.
RONDEA B 8201 000 RO

Functional Sides



Functional sides, Model FS 1

Either as front side finish or for wall mounting. The functional sides can be individually combined with different equipment for lettering and presentation. They have a signal effect and are ideal for the display and presentation of news or event calendars in folder format. Lettering and inscription can be done directly on the functional side or an additional inscription board. Wood veneered/plastic coated incl. fastening kit. 1 2 3

Functional side	For wall mounting	For UNIFLEX, QUADRA
	B 528 mm	W 528 mm (as side panel)
For bay height	Item no.	Item no.
H 1100 mm	B 8250 GM0 XX	B 8250 GM0 UN,QU
H 1500 mm	B 8250 CM0 XX	B 8250 CM0 UN,QU
H 1750 mm	B 8250 AM0 XX	B 8250 AM0 UN,QU
H 2050 mm	B 8250 DM0 XX	B 8250 DM0 UN,QU
H 2250 mm	B 8250 EM0 XX	B 8250 EM0 UN,QU

For shelf depth 300 mm = N (B 640/628 mm) the M in the item no. will be replaced by an N.

Inscription shelf, Model BT 1

For a colour emphasis and for information. Wood veneered/plastic coated incl. fastening kit. W 489 mm, H 368 mm. Schulz Lettering Service upon request

Item no. B 8260 0M0 XX **Fits all systems**

For shelf depth 300 mm = N (B 589 mm) the M of the item no. will be replaced by an N.




Folder rack, Model FL 1

For an organized presentation of folders. With acrylic glass front, H 120 mm and three removable dividers. Shelf width 115 mm, Wood veneered/plastic coated. W 489 mm, H 140 mm

Item no. B 8262 0M0 XX **Fits all systems**

For shelf depth 300 mm = N (B 589 mm) the M in the item no. will be replaced by an N.



Display shelf, Model PT 1

For the presentation of media and for colour emphasis. Lacquered metal. W 489 mm, H 255 mm

Item no. B 8261 0M0 XX **Fits all systems**

For shelf depth 300 mm = N (B 589 mm) the M of the item no. will be replaced by an N.



Inscription board, Model BSGI (see left picture)

Easy fixing on presentation grid, as sign post and orientation aid, beech multiplex. W 400 mm, H 284 mm

Item no. B 8202 000 (.)

(.) = UN, QU, RO



Hanging metal display, Model ZFVH
 For insertion in presentation grid, side panels from perforated sheet metal with round holes RG 5/25, square holes QG 10/62.5 and slot holes 4/40, as well as two holding rods Model B 1 also for direct insertion in shelf front sides, W 90 mm, H 200 mm, insert size up to 50 mm, chromed metal.

Item no.
Fits all systems B 8211 000 XX



Book presenter, Model BAH 5
 For placing or hanging in presentation grid, side panels from perforated sheet metal with round holes RG 5/25, square holes QG 10/62.5 and slot holes 4/40, as well as two holding rods Model B 1 also for direct insertion in shelf front sides, for German DIN A4 formats such as paperbacks, video cassettes etc., chromed metal.

Item no.
Fits all systems B 8210 000 XX



Holding/bearing rod, Model B 1

As holder for front-side presentation elements, for insertion into grid systems of the bearing frame, easily height adjustable, bright galvanized round steel.

Item no.

1 each for shelf depth 250 mm
UNIFLEX B 8001 M00 UN
QUADRA B 8001 M00 QU
RONDEA B 8001 M00 RO

For shelf depth 300 mm = N
 the M in the item no. will be replaced by an N.

Book Presentation

Slanted shelf 60°, Model SAB 60

For the presentation of books, magazines etc., For hanging in presentation grid and front sides of double-sided shelves.
 ● Lacquered metal, incl. hanging kit.
 W 469 mm, D 290 mm

Item no.

UNIFLEX B 8222 0M0 UN
QUADRA B 8222 0M0 QU
RONDEA B 8222 0M0 RO
PRESENT.GRID B 8222 0M0 GI



Front-side shelves, Model STFB

For hanging into presentation grids and front sides of double-sided bays, for books (see pic.1), with additional CD shelf rack B 8500 003 XX (see page 27) also suitable for ● 42 CDs (see pic.2), lacquered metal, incl. hanging kit.
 W 469 mm, D 250 mm, H 120 mm

Item no.

UNIFLEX B 8221 0M0 UN
QUADRA B 8221 0M0 QU
RONDEA B 8221 0M0 RO
PRESENT.GRID B 8221 0M0 GI



Comic and map box, Model CTR

For hanging in shelving sections with a shelves depth of 250 mm, allows user to easily flip through media with simultaneous front presentation, variable set-up through mobile dividers, also suitable for videos and DVDs, grooved rubber mat, hanging kit and tilt stops.
 D 376 mm, H 200 mm

Item no.

for axle size 1000 mm, incl. 3 dividers for ca. 136 comics
 B 8602 MW0 (. .)
 for axle size 1000 mm, incl. 5 dividers for ca. 162 maps
 B 8602 MW1 (. .)
 for axle size 900 mm, incl. 2 dividers for ca. 102 comics
 B 8602 MU0 (. .)
 for axle size 900 mm, incl. 4 dividers for ca. 135 maps
 B 8602 MU1 (. .)
 (. .) = UN, QU, RO



Item no.

1 each additional divider for Comic and map box
 B 8603 000 (. .)
 (. .) = UN, QU, RO

Book Presentation



Book manger, Model BT 2

With slanted shelf for front or book spine presentation of different media, for hanging in presentation grids and front sides of double-sided bays, insertion width/depth up to 450/200 mm, incl. hanging kit, beech multiplex.
 W 480 mm, D 260 mm, H 205 mm

Item no.
UNIFLEX B 8216 2W0 UN
QUADRA B 8216 2W0 QU
RONDEA B 8216 2W0 RO
PRESENT.GRID B 8216 2W0 GI



Paperback box, Model TBT 2

For hanging in presentation grids and front sides of double-sided bays, insertion width/depth up to 450/150 mm, incl. hanging kit, beech multiplex.
 W 480 mm, D 183 mm, H 150 mm

Item no.
UNIFLEX B 8215 2W0 UN
QUADRA B 8215 2W0 QU
RONDEA B 8215 2W0 RO
PRESENT.GRID B 8215 2W0 GI



CD and paperback holder, Model CDH

For hanging in perforated sheet metal panels with round holes RG 5/25 and slot holes 4/40, bright galvanized metal, variable width, insert size up to 25 mm, H 60 mm. Picture shows on pair

Item no.
Fits all systems B 8209 000 XX on pair



Broadside box (Querbox ©) for magazines in shelves, Model ZQB

For storing of magazines in bays with 250 mm shelf depth. When opened, the display flap for the current issue can be pushed in for easy handling. An additional, transparent antireflex foil allows presentation of a front page for easy identification of the chosen issue.

Magazines are stored broadside in this box with the advantage that the magazine spines can be seen from the front and that the magazines are stored with more care, compared to boxes with standing magazines, and they can easily be taken out. Stacking height 140 mm, max. magazine size W 230 mm, H 315 mm. Box and flap made of lacquered metal, max. 3 each on shelf boards with axle size 1000 mm. W 320 mm, D 260 mm, H 320 mm

Item no.
Fits all systems B 8311 000 XX

Other models:

Magazine box, Model ZBV, (no picture)

Upright storage of magazines on shelf depth 250 mm. With adjustable back. Stacking height 140 mm, max. magazine size W 230 mm, H 310 mm. Box and flap made of lacquered metal, max. 4 each on shelf with axle size 1000 mm. W 238 mm, D 260 mm, H 320 mm

Item no.
Fits all systems B 8310 000 XX

Magazine box, Model ZBL, (no picture)

Broadside storage of magazines on board depth 300 mm and above. Stacking height 140 mm, max. magazine size W 230 mm, H 310 mm. Box and flap made of lacquered metal, max. 4 each on shelf with axle size 1000 mm. W 238 mm, D 340 mm, H 320 mm

Item no.
Fits all systems 0 3016 010



Sectioned shelf, Model MB

For insertion in shelving section with axle size 1000 mm and a shelf depth of 300 mm, for horizontal display and storage of magazines in German DIN A4 format (see picture 1), randomly expandable with slanted shelves (see picture 2), lacquered metal, incl. dividers for four rows of magazines. D 300 mm, H 150 mm

for axle size 1000 mm
Item no.
UNIFLEX B 2060 NWO UN
QUADRA B 2060 NWO QU
RONDEA B 2060 NWO RO



Slanted shelf board, Model ZF 3

For insertion shelving section with axle size 1000 mm and a shelf depth of 300 mm, for presenting the recent issue of magazines brochures etc., lacquered metal, incl. hanging kit. D 300 mm

Item no.
UNIFLEX B 2611 NWO UN
QUADRA B 2611 NWO QU
RONDEA B 2611 NWO RO



Connectable magazine collector, Model ZSSA

Slanted magazine sections for storing current brochures, pamphlets, forms, etc. randomly connectable side by side through plug-in connections, max. 9 each on axle size 1000 mm, max. 8 each on axle size 900 mm, max. 6 each on axle size 750 mm, lacquered metal. Single element: W 95 mm, D 240 mm, H 300 mm

Item no.
Fits all systems B 8026 000 XX



U-support, Model UST

Multiple uses, p.e. for loose-leaf collections, music books etc., lacquered metal. W 145 mm, D 220 mm, H 250 mm

Item no.
Fits all systems B 8027 000 XX

Magazine Presentation

Magazine presenter, Model ZSA


A slanted back and an additional side stop are a very organized way of presenting single magazine stacks in shelves with a shelf depth of more than 250 mm. The binder or folder will be placed flush with the front edge which has a double reinforced edging. For use with metal shelves, we have included an additional slip stop to the front.

Lacquered metal, back height 300 mm, depth of storage area 80 mm.

Item no.
Fits all systems B 8025 A40 XX German DIN A4, width 220 mm, max. 4 each
 On shelves axle size 1000 mm

Fits all systems B 8025 A30 XX German DIN A3, width 440 mm, max. 2 each
 On shelves axle size 1000 mm





Brochure shelf, Model BRF

For insertion in shelving section with a shelf depth of 250 mm, for the presentation of pamphlets, magazines, brochures etc., highly transparent acrylic glass with upward front edge H 160 mm, incl. hanging kit. D 232 mm, H 220 mm

Item no.	For axle size 1000 mm	For axle size 900 mm	For axle size 750 mm
UNIFLEX	B 2050 0W0 UN	B 2050 0U0 UN	B 2050 0S0 UN
QUADRA	B 2050 0W0 QU	B 2050 0U0 QU	B 2050 0S0 QU
RONDEA	B 2050 0W0 RO	B 2050 0U0 RO	B 2050 0S0 RO



Plastic insert, Model ZF/EIN

For placement on slanted shelves with book stop and a shelf depth of 300 mm, has a 60 mm high edge and is ideal for storing newspaper or magazine stacks as well as thick books, allows the display of front pages as orientation aid, highly transparent acrylic glass. D 296 mm, H 60 mm

Item no.	For axle size 1000 mm	For axle size 900 mm	For axle size 750 mm
Fits all systems	B 8321 NW0 XX	B 8321 NU0 XX	B 8321 NS0 XX



Transparent foil, Model ZFF

For placement on slanted shelves with book stop and a shelf depth of 300 mm, allows the display of front pages as orientation aid, highly transparent acrylic glass. Axle size 1000 mm, D 295 mm (shorter sizes by cutting)

Item no.	For axle size 1000 mm
Fits all systems	B 8322 0W0 XX

Universal hanging cage, Model UEKB

Use as book stand (see pic.1), display shelf (see pic.2) or newspaper manger (see pic.3), for hanging in presentation grid and front sides of up to 420 mm, incl. hanging kit, chromed round steel. W 435 mm, D 120/40 mm, H 273 mm

Item no.	Item no.
UNIFLEX	B 8212 000 UN
QUADRA	B 8212 000 QU
RONDEA	B 8212 000 RO
PRESENT.GRID	B 8212 000 GI



Newspaper holder, Model ZHK

For newspapers, brochures etc., for hanging in presentation grids and front sides of double-sided bays, incl. hanging kit, highly transparent acrylic glass. W 350 mm, H 260 mm

Item no.	Item no.
UNIFLEX	B 8219 000 UN
QUADRA	B 8219 000 QU
RONDEA	B 8219 000 RO
PRESENT.GRID	B 8219 000 GI

Newspaper and Magazine Presentation

Continuous magazine flap, Model DZK

You can display three current titles, the previous versions are stored behind – broadside on the shelf. Broadside stacking has the great advantage that all inscriptions and prints on the spine can still be seen from the front. An effective lever mechanism supports the comfortable handling and keeps the lifted flap open. Easily retrofitted for single- and double-sided bays with axle size 1000 mm and a shelf depth of 250 mm. In order to prevent a slip-through to the back, we recommend using shelves with backs. Shelves H 2250 mm can be equipped with max. 6 flaps high. Stacking height for German DIN A4: 160 mm.

- Flap and sides from lacquered metal, W 961 mm, H 340 mm, without shelf

Item no.	Item no.
UNIFLEX	B 8315 MW0 UN
QUADRA	B 8315 MW0 QU



1



2



3

Slanted display 60° shelf, Model SAB 60

For displaying books, magazines etc., for hanging in presentation grids and front sides of double-sided shelves, ● lacquered metal, incl. hanging kit. W 469 mm, T 290 mm

Item no.	Item no.
UNIFLEX	B 8222 0M0 UN
QUADRA	B 8222 0M0 QU
RONDEA	B 8222 0M0 RO
PRESENT.GRID	B 8222 0M0 GI



Plastic magazine collector, Model ZESA

Helpful for the storage of brochures, pamphlets, loose-leaf collections etc., with front-side edge for guiding along the shelf board and for attaching inscriptions, light grey plastic. W 80 mm, D 230 mm, H 325 mm

Item no.	Item no.
Fits all systems	B 8313 000 XX 1 each





LED presentation board

Are you proud of your new acquisitions, or would you like to present different types of media on one specific topic? Our LED presentation board offers you the appropriate frame. It has a perforated metal front which can be equipped and individually combined with all kinds of presentation accessories.

State-of-the-art LED technology will definitely attract the visitors' attention, with a minimum of electricity consumption and extreme durability.

This LED presentation board is also well suitable to brighten up some less frequented dark corners, niches and hallways.

Comes with 29 LEDs, ready for operation, incl. plug and cable for 250V socket.

Perforated sheet metal, lacquered; with put-on sign for lettering upon request.

LED presentation board without accessories

W 870 mm, D 60 mm, H 1650 mm

Item no. B 7706 AU0 XX

LED presentation board without accessories

W 870 mm, D 60 mm, H 1950 mm


Item no. B 7706 DU0 XX

Sign

Lacquered metal, W 300 mm, D 40 mm, H 150 mm

Schulz Lettering Service upon request

Item no. B 8102 000 XX



Presenting Digital Media



Sign

Lacquered metal, W 300 mm, D 40 mm, H 150 mm

Schulz Lettering Service upon request

Item no. B 8102 000 XX




CD Display wall

Is ideal for presenting small media. This display wall will show your CDs and CD-ROMs at their best and give the user an optimum access to your "Top 10" or other groups and subjects like no other piece of furniture.

The CD display is available either for individual mounting on wooden bases or in different widths already installed on a wall board.

If desired, a sign with inscription will attract additional attention.

CD display: lacquered metal, Wooden wall board veneered/plastic coated. 1 2 3



CD Display

For individual mounting on wooden bases such as side panels, cabinet sides etc., incl. fastening material, for 7 CDs, W 148 mm, D 50 mm, H 900 mm

Item no. B 7711 000 XX

CD display wall

For wall mounting incl. fastening material and CD display for a total of 21 CDs (see drawing). W 550 mm, D 89 mm, H 1100 mm

Item no. B 7710 003 XX

CD display wall

For wall mounting incl. fastening material and 6 CD displays for a total of 42 CDs. W 1000 mm, D 89 mm, H 1100 mm

Item no. B 7710 006 XX

CD display wall

For wall mounting incl. fastening material and 9 CD display for a total of 63 CDs. W 1450 mm, D 89 mm, H 1100 mm

Item no. B 7710 009 XX

	Item no.	Item no.
For shelf depth 250	Axle size 1000 Incl. 5 dividers for approx. 180 CDs	Axle size 900 incl. 4 dividers for approx. 150 CDs
	UNIFLEX QUADRA RONDEA	B 8600 MW0 UN B 8600 MU0 UN B 8600 MW0 QU B 8600 MU0 QU B 8600 MW0 RO B 8600 MU0 RO

For shelf depth 300 mm
the M in the item no. will be replaced by an N.

Fits all systems B 8601 000 (.) 1 each additional divider
(.) = UN, QU, RO



AV media tray, Model MEHT

For hanging in bays with a shelf depth of 250 and 300 mm. allows user to easily flip through media with simultaneous front presentation. Variable management through mobile dividers, suitable for different types of AV media, tray and dividers from lacquered metal, wooden sides veneered/plastic coated, incl. grooved rubber mat, threading bars, hanging kits and tilt stops.

D 376 mm, H 100 mm, tray height 80 mm

Multimedia browser as top shelf (see picture), Model MMW

For an organized and space-saving storage of CDs, CD-ROMs, DVDs, videos or cassettes in shelves.

Allows user to easily flip through media with simultaneous front presentation. Variable management by mobile dividers. browser made of lacquered metal,

for fixing on wooden and metal shelves. Depth 250 mm without book stop. Browser height 100 mm, Incl. grooved rubber mat.

	Item no.	Item no.
Fits all systems	Axle size 1000 Incl. 5 dividers for approx. 120 CDs/DVDs with standard cover	Axle size 900 incl. 4 dividers for approx. 100 CDs/DVDs with standard cover
	B 8620 MW1 XX	B 8620 MU1 XX
Fits all systems	B 8621 M00 XX 1 each additional divider	

Multimedia browser for insertion (no picture), Model MMWE
Same description as above, but with side consoles for direct insertion in bays with a shelf depth of 250 mm.

	Item no.	Item no.
Fits all systems	Axle size 1000 B 8620 MW2 (.)	Axle size 900 B 8620 MU2 (.)
	(.) = UN, QU, RO	
Fits all systems	B 8621 M00 XX 1 each additional divider	




Pull-out multimedia browser (see picture), Model MMWA

Several browsers can be placed on top of each other by a telescopic full rail in order to save room in a bay with board shelf 250 mm. An additional handle makes the user aware of this pull-out function.

Same description as above, but with side consoles, pull-outs, handle and tilt stops.

	Item no.	Item no.
Fits all system	Axle size 1000 B 8620 MW0 (.)	Axle size 900 B 8620 MU0 (.)
	(.) = UN, QU, RO	
Fits all system	B 8621 M00 XX 1 each additional divider	
B 8623 000 XX	1 each DVD-rest for clipping onto the rear perforated row for heightening the back panel. If requested, one is required per DVD row.	



Multimedia stair, connectable, 2 steps



Multimedia stair, connectable, 3 steps

Multimedia stair, connectable, Model MMT

Flexible solution for room-saving storage of CDs, CD-ROMs or DVDs in shelves with shelf depth 250 mm. The stair can be placed single or double – and also triple on top of each other in front of the shelf. A slight slanting gives you an ideal view and you can easily reach the media. This system is a perfect supplement for the pull-out multimedia browser or the AV media tray, if placed single or double on top of these. Browser from lacquered metal, incl. hanging kit ●
D 110 mm, height of front edge 50 mm

For front presentation	Axle size 1000 mm for approx. 60 CDs	Axle size 900 mm for approx. 60 CDs
Item no.	B 8510 MW0 (. .) 1 each	B 8510 MU0 (. .) 1 each
Grooved rubber mat for multimedia stair		
Item no.	B 8511 MW0 (. .)	B 8511 MU0 (. .)
	(. .) = UN, QU, RO	

Multimedia browser, Model MMK

CDs, CD-ROMs, DVDs and also videos can be stored by either presenting their title or side by side presenting their back. Both arrangements can be ideally seen and handled because the browser has a slanted position. For large stocks of media, this multimedia browser is an ideal supplement for the pull-out multimedia browser or our AV media tray which will be inserted in the shelves. ● Browser from lacquered metal, incl. hanging kit.
D 165 mm, edge height 140 mm

For shelf depth D 250 mm	Axle size 1000 mm	Axle size 900 mm
For front presentation	For approx. 90 CDs	For approx. 90 CDs
For back presentation	For approx. 95 CDs	For approx. 85 CDs
Item no.	B 2080 MW0 (. .)	B 2080 MU0 (. .)
	(. .) = UN, QU, RO	



Presenting Digital Media

CD and paperback holder, Model CDH
For insertion in perforated end panels with round holes RG 5/25 and slot holes 4/40, bright galvanized steel wire, variable width. Insertion strength up to 25 mm, H 60 mm

Fits all systems **Item no.** B 8209 000 XX



Presentation tray, Model TRK 2

With 2 dividers for approx. 60 CDs, for insertion in presentation grids and also front sides of double-sided bays, beech multiplex, incl. five dividers, grooved rubber mat and hanging kit. W 480 mm, D 285 mm, H 136 mm

UNIFLEX	Item no. B 8213 2W0 UN
QUADRA	B 8213 2W0 QU
RONDEA	B 8213 2W0 RO
PRESENT.GRID	B 8213 2W0 GI

Shelf for front side, Model STFB

For hanging in presentation grids and front sides of double-sided bays, for additional CD shelf tops B 8500 003 XX or B 8501 003 XX (see left) lacquered metal, incl. hanging kit. ●
W 469 mm, D 250 mm, H 120 mm
without CD shelf top

UNIFLEX	Item no. B 8221 0M0 UN
QUADRA	B 8221 0M0 QU
RONDEA	B 8221 0M0 RO
PRESENT.GRID	B 8221 0M0 GI

CD shelf board top, Model CDA


Can be easily fixed on metal or wooden shelves with a depth of 250 mm, also suitable for shelves with a book stop edge, allows the user to easily flip through the CDs with simultaneous front presentation, available in designs with two or three rows, and for CDs in standard or protective cover, random placement side by side, chromed round steel. W 464/311 mm, D 262 mm, H 40 mm

The following is needed to completely equip a shelf:

For axle size 1000 mm:	2 each, three-rowed
For axle size 900 mm:	1 each, three-rowed, 1 each, two-rowed
For axle size 750 mm:	2 each, two-rowed
For axle size 500 mm:	1 each, three-rowed

Fits all systems **Item no.**

1 each, three-rowed, for 42 CDs with standard cover, 10.5 mm thick	B 8500 003 XX
1 each, two-rowed, for 28 CDs with standard cover, 10.5 mm thick	B 8500 002 XX
1 each, three-rowed, for 30 CDs with protective cover, 18.5 mm thick	B 8501 003 XX
1 each, two-rowed, for 20 CDs with protective cover, 18.5 mm thick	B 8501 002 XX



Thematic Browser, Model TW 1

For storing theme-related AV media such as CDs, CD-ROMs, DVDs next to the relevant books. Random placement on shelves or tables/desks. Browser from lacquered metal, with anti-slipping feet. ●
W 150 mm, D 220 mm, H 120 mm

Fits all systems	Item no. B 8505 000 XX	for ca. 20 CDs/DVDs
Fits all systems	B 8506 000 XX	grooved rubber mat for thematic browser





Lights for Shelves

Horizontal light, Model HL 1

Will be plugged onto the bearing frames of single and double-sided shelves. Also possible for covering two axle sizes without a middle lamp arm. For a hidden cable conduct to the floor, 1 per shelf row for single-sided bays and 2 UNIFLEX light bearing frames for double-sided bays have to be planned (with cable outlet K1). For a central control. Protrusion approx. 300 mm to front edge of lamp, lacquered metal, incl. acrylic cover, ● T8 lamp and electronic ballast. Cannot be combined with doors.

1 basic horizontal light with 2 lamp arms,
2 front-side covers, cable with mains plug 1.5 m black

Item no.	Item no.	Item no.
Axle size 1000 mm B 8730 1WG UN	Axle size 900 mm B 8730 1UG UN	Axle size 750 mm B 8730 1SG UN

1 add-on horizontal light with 1 lamp arm

Item no.	Item no.	Item no.
Axle size 1000 mm B 8730 1WA UN	Axle size 900 mm B 8730 1UA UN	Axle size 750 mm B 8730 1SA UN

1 basic horizontal light covering two axle sizes continuously



Halogen shelf light, Model HRL 2

For completely illuminating a shelf and also for accent lights. For single- or double-sided bays: will be plugged on special UNIFLEX light bearing frames (with cable outlet K1) for a hidden cable conduct to the floor. Lamps incl. halogen reflector lamp for voltage 230V/50W and feed line to the base. For central control. Protrusion approx. 300 mm to the front edge of lamp, Lacquered metal. Cannot be combined with doors. ●

Item no.
UNIFLEX B 8700 000 UN 1 Halogen shelf lamp for UNIFLEX light bearing frames

Mains connection and interlinking of lights is made by electric mains and connection cables in the shelf base.

Connection cable with Schuko plug incl. distribution coupling for cable conduct in the shelf base, is required 1x per shelf row.

Item no.
UNIFLEX B 8701 000 UN 1 meter, black
UNIFLEX B 8701 003 UN 3 meter, black

Connection cable for single- and double-sided bays, Incl. distribution coupling for cable conduct in the shelf base.

Item no.
UNIFLEX B 8702 000 UN standard length for max. Axle size 1000 mm, required 1x per add-on shelf, black

Vertical light, Model T 5

For installation on the standard bearing frames of single- and double-sided bays.

Lights incl. 2 fluorescent tubes 21 W, length 912 mm, electronic ballast and diffuser for perforated plate. We offer outer and middle shelf lights for an optimum light distribution.

All lights can be controlled centrally or individually.

- Protrusion approx. 65 mm to the front edge of the lamp, lacquered metal. Cannot be combined with doors or with protruding accessories such as broadside boxes, pull-out multimedia tubs etc.

	Item no.	Item no.	Item no.
	1 outer light left type	1 middle light	1 outer light right type
For bay height 2050 mm	B 8722 D0L UN	B 8722 D0M UN	B 8722 D0R UN
For bay height 2250 mm	B 8722 E0L UN	B 8722 E0M UN	B 8722 E0R UN

Other bay heights upon request.

Mains connection and interlinking of lights are made by electric mains with triple plugs in the shelf base.

2 lines are required for double-sided bays, for single-sided starter bays and single- or double-sided add-on bays only one line is required.

Item no.
B 8723 000 XX 1 mains connection and interlinking line

Our shelving system UNIFLEX offers numerous other possibilities for making lights effective where it is required.

Continuous light assemblies with round or square profiles can be installed at different lamp holders and shelf connectors.





Signage

Labelling sign, Model L 3

For marking of sections, simply clip on metal or wooden shelves, incl. exchangeable moisture-proof labelling strips white, labelling sign transparent plastic, antireflex H50 mm. Schulz Labelling Service upon request.



Item no. for axle size 1000 mm
UNIFLEX B 8038 0W0 UN

for axle size 900 mm
B 8038 0U0 UN

for axle size 750 mm
B 8038 0S0 UN

for axle size 500 mm
B 8038 0R0 UN

Blank labelling strips white, moisture-proof, for axle size 1000 mm, (shorter sizes by cutting)

Item no. B 8039 0W0 UN

Front Side Signage



Inscription triangle, Model DRE

Can be read in row direction, will be hung in the bearing frame as top shelf finish when used as front side labelling, for bay heights above 2200 mm to guarantee the required headroom, incl. exchangeable, moisture-proof labelling strip white, holder lacquered metal, labelling strip transparent plastic, antireflex H 50 mm. Schulz Labelling Service upon request

Item no.

For single-sided bays with shelf depth 250 mm
UNIFLEX B 8087 ME0 UN

For single-sided bays with shelf depth 300 mm
UNIFLEX B 8087 NE0 UN

Item no.

For double-sided bays with shelf depth 250 mm
UNIFLEX B 8087 MD0 UN

For double-sided bays with shelf depth 300 mm
UNIFLEX B 8087 ND0 UN

Blank labelling strips white, moisture-proof for shelf depth 250 mm

UNIFLEX B 8088 OM0 UN

Blank labelling strips white, moisture-proof, for shelf board 300 mm

UNIFLEX B 8088 ON0 UN



Labelling sign, Model K 3

Front side labelling for insertion in the bearing frame as top shelf finish, incl. Exchangeable moisture-proof Labelling strip white, labelling sign Transparent plastic, antireflex. Two labelling signs are required for Double-sided shelves. H 50 mm. Schulz Labelling Service upon request

Item no.

1 each for shelf depth 250 mm
UNIFLEX B 8085 M00 UN

1 each for shelf depth 300 mm
UNIFLEX B 8085 N00 UN

Item no.

Blank labelling strips white, moisture-proof, for shelf depth 250 mm

UNIFLEX B 8086 M00 UN

Blank labelling strips white, moisture-proof, for shelf depth 300 mm

UNIFLEX B 8086 N00 UN

Labelling Flags



Labelling flag, Model FA 3
For insertion in the outer posts of bearing frames, lacquered metal. W 120 mm, H 120 mm
● Schulz Labeling Service upon request.


Item no.

With transparent plastic cover, incl. labelling cardboard white
UNIFLEX B 8095 00K UN
QUADRA B 8095 00K QU

Without transparent plastic cover with self-stick letters
UNIFLEX B 8095 000 UN
QUADRA B 8095 000 QU

For screwing onto end panels, with transparent plastic cover, incl. labelling cardboard white.
UNIFLEX B 8096 00K UN
QUADRA B 8096 00K QU

For screwing onto end panels, without transparent plastic cover, with self-stick letters
UNIFLEX B 8096 000 UN
QUADRA B 8096 000 QU



Metal labelling flag, Model BSFS
For insertion in shelf posts, randomly turn; flag and holding rod from lacquered metal, height 300 mm, flag W 400 mm, minimum height 80 mm.
● Schulz Labeling Service upon request

Item no.

UNIFLEX B 8099 000 UN
QUADRA B 8099 000 QU
RONDEA B 8099 000 RO

Labelling flag, Model FA 5
For hanging in the outer posts of bearing frames, for German DIN A5 format, lacquered metal. W 210 mm, H 148 mm.
● Schulz Labeling Service upon request.

Item no.

With transparent plastic cover, incl. labelling cardboard white.
UNIFLEX B 8082 A5K UN
QUADRA B 8082 A5K QU

Without transparent plastic cover, with self-stick letters.
UNIFLEX B 8082 A50 UN
QUADRA B 8082 A50 QU

For screwing onto end panels, with transparent plastic cover, incl. labelling cardboard white.
UNIFLEX B 8083 A5K UN
QUADRA B 8083 A5K QU

For screwing onto end panels, without transparent plastic cover, with self-stick letters
UNIFLEX B 8083 A50 UN
QUADRA B 8083 A50 QU

Holding rod, Model BSHT
For insertion in shelf posts, For fixing of up to three metal labelling flags, Model BSFM, bright galvanized metal. H 350 mm.

Item no.

UNIFLEX B 8098 000 UN
QUADRA B 8098 000 QU
RONDEA B 8098 000 RO

Metal labelling flag, Model BSFM

For use with holding rod, randomly turn or fix.
● Lacquered metal, W 400 mm, H 90 mm
● SchulzLabelingService upon request

Item no.

UNIFLEX B 8097 000 UN
QUADRA B 8097 000 QU
RONDEA B 8097 000 RO

Labelling Boards

Turn-board holder, Model WTH
For installation at front sides of shelves, for clear and open presentation of information, for max. 21 turn-boards in German DIN A4 format. Black plastic, without turn-boards.

Item no.

For installation on bearing frames of double-sided bays
UNIFLEX B 8090 000 UN
QUADRA B 8090 000 QU

For installation onto end panels or for wall-mounting
UNIFLEX B 8091 000 UN
QUADRA B 8091 000 QU

5 turn-boards for German DIN A4 format with double-sided labelling field, transparent plastic, incl. turning rod.
UNIFLEX B 8092 000 UN
QUADRA B 8092 000 QU



Labelling Boards



Labelling board with acrylic glass cover, Model BTP

For hanging on front sides of single- or double-sided bays, for German DIN A4 format, with 6 mm acrylic glass cover, back is lacquered metal white, incl. fastening material. W 212 mm, H 301 mm
● Schulz Labeling Service upon request.

Item no.

1 each for single- or double-sided bays with shelf depth 250 mm (see picture 1)
UNIFLEX B 8080 M40 UN
QUADRA B 8080 M40 QU
RONDEA B 8080 M40 RO


1 each for single- or double-sided bays with shelf depth 300 mm
UNIFLEX B 8080 N40 UN
QUADRA B 8080 N40 QU
RONDEA B 8080 N40 RO

1 each for centre fixing in double-sided bays (see picture 2)
UNIFLEX B 8080 044 UN
QUADRA B 8080 044 QU
RONDEA B 8080 044 RO

1 each for end panels from perforated plates, with round holes RG 5/25 (see picture 3)
UNIFLEX B 8080 043 UN
QUADRA B 8080 043 QU
RONDEA B 8080 043 RO

1 each for end panels from perforated plates, with square holes QG 10/62,5
UNIFLEX B 8080 048 UN
QUADRA B 8080 048 QU
RONDEA B 8080 048 RO

1 each for wooden end panels (see picture 4)
UNIFLEX B 8080 042 UN
QUADRA B 8080 042 QU
RONDEA B 8080 042 RO




Shelf Labelling



Tagboard, Model AKS 2

For clip onto metal or wooden shelves with below groove, shifting, incl. exchangeable labeling white strip transparent plastic, antireflex. W 210/105 mm, H 21 mm
Schulz Labeling Service upon request

	Item no.
Tagboard B 210 mm	
Fits all systems	B 8040 000 XX
Blank labelling white strip, sheets of 13 strips, W 209 mm	
Fits all systems	B 8041 000 XX
Tagboard B 105 mm	
Fits all systems	B 8040 200 XX
Blank labelling white strip, sheets of 13 strips, W 104 mm	
Fits all systems	B 8041 200 XX



Lettering tag, Model KA/S

For retrofitted installation on metal or wooden shelves with smooth edges, self-sticking, incl. exchangeable labelling white strip transparent plastic. W 147/200 mm, H 20 mm
Schulz Labeling Service upon request


	Item no.
Labelling sign B 200 mm	
Fits all systems	B 8044 200 XX
Labelling sign B 147 mm	
Fits all systems	B 8044 201 XX
Blank labelling white strip, sheets of 13 strips, W 209 mm (shorter sizes by cutting)	
Fits all systems	B 8041 000 XX



Magnet sign, Model KA/M

For metal boards with smooth edge, Magnetic, incl. exchangeable labelling white strip with transparent plastic cover. W 210 mm, H 20 mm
Schulz Labeling Service upon request

	Item no.
Blank labelling white strip, sheets of 13 strips, W 209 mm (shorter sizes by cutting)	
Fits all systems	B 8041 000 XX



Labelling cube, Model BEWÜ

Universal use for all shelving systems, for attaching labelling between books, incl. inscription field with transparent cover and exchangeable labelling white cardboard, transparent plastic. W 120/200 mm, T 200, H 200 mm
Schulz Labeling Service upon request

	Item no.
Labelling cube B 120 mm	
Fits all systems	B 8060 000 XX
Labelling cube B 200 mm	
Fits all systems	B 8060 200 XX



Book substitute, Model STV

As substitute for when books are taken out etc., universal use for all shelving systems, with welded transparent pocket; white, blue, green or red plastic. W 153 mm, H 74 mm
Schulz Labeling Service upon request

	Item no.
Fits all systems	B 8061 000 XX



Labelling bearer, Model BET

Universal use by simply placing on shelf, incl. exchangeable labelling white strip; white lacquered metal. W 150 mm, D 150 mm, H 26 mm
Schulz Labeling Service upon request

	Item no.
Fits all systems	B 8019 000 XX
Blank labelling white strip, sheets of 13 strips, W 209 mm (shorter sizes by cutting)	
Fits all systems	B 8041 000 XX

Pictograms
 Self-sticking icons for orientation and guiding systems, W 130 mm x H 130 mm.
 More icons and sizes upon request.

Fits all systems **Item no.**
 B 8554 . . . XX

Item no.	B 8554 001 XX	B 8554 002 XX						
Item no.	B 8554 003 XX	B 8554 004 XX	B 8554 041 XX	B 8554 042 XX	B 8554 029 XX	B 8554 030 XX		
Item no.	B 8554 005 XX	B 8554 006 XX	B 8554 017 XX	B 8554 018 XX	B 8554 031 XX	B 8554 032 XX		
Item no.	B 8554 007 XX	B 8554 008 XX	B 8554 019 XX	B 8554 020 XX	B 8554 033 XX	B 8554 044 XX		
Item no.	B 8554 009 XX	B 8554 010 XX	B 8554 021 XX	B 8554 022 XX	B 8554 043 XX	B 8554 034 XX		
Item no.	B 8554 011 XX	B 8554 012 XX	B 8554 023 XX	B 8554 024 XX	B 8554 035 XX	B 8554 036 XX		
Item no.	B 8554 013 XX	B 8554 014 XX	B 8554 025 XX	B 8554 026 XX	B 8554 037 XX	B 8554 038 XX		
Item no.	B 8554 015 XX	B 8554 016 XX	B 8554 027 XX	B 8554 028 XX	B 8554 039 XX	B 8554 040 XX		

Colour Range

Colours carry a large expressiveness and are effective at first sight. Particularly in architecture does colouring play an important role. We are offering you the possibility of individually combining different surfaces with an extensive colour programme in order to design your furniture.

Library Furniture 2012/14

System Counter DIALOG



Price group

A

Price group

B

Price group

C

We furnish libraries!

The centre of all our activities is you, our customer. Your satisfaction is our most important capital. In order to find your individual solution we already support you during the planning phase. If you are looking for competent consulting, We are there for you, also on the spot. Tell our specialists about your needs and use our know-how from many a thousand realised furnishing projects.



Our name stands for innovative product design and development. Furniture for today and tomorrow. And being an all-round equipper we offer a complete delivery programme for all kinds of libraries.

Besides the library furniture presented in this catalogue, you will find more product groups like shelving systems and shelving accessories as well as counter systems in separate catalogues or under www.schulzspeyer.de.


We are looking forward to your inquiries.

Photo: M. J. Smets






Colours for metal coatings

The coloration of the metal parts is made by a highly abrasion-proof and environmental-friendly baking powder-coating. With reservation for colour deviations to original RAL register. Antibacterial equipping of surfaces upon request.



Surfaces from solid wood veneer and plastic

Wooden surfaces are either directly plastic-coated or covered with an HPL laminated plastic, depending on their application. Differences in colour underline the characteristics of solid wood surfaces and cannot be avoided. Solid wood changes its colours under the influence of light. Table and work surfaces with solid wood veneer have only limited abrasion resistance. We recommend our highly resistant plastic decors for these types of surfaces. We use environmental-friendly lacquers for our solid wood surfaces.



RAL 5003 Sapphire blue
RAL 9011 Graphite black
DB 702 Iron mica light
DB 703 Iron mica dark
Other colours, fine structures and glimmer lacquerings upon request.

(1) We do not recommend fine-structured surfaces for shelf boards as the books will slip easily!



Other surfaces and veneers upon request.